



ovens : cooktops : rangehoods : upright cookers : dishwashers : microwaves : coffee machines

250°

12:46





[www.baumatic.com.au](http://www.baumatic.com.au)

Founded in London during 1992, Baumatic is recognized as a major international appliance brand, available through more than 65 countries worldwide. With recent expansions into France and Russia, Baumatic has established itself as a leading company in the design and manufacture of kitchen appliances. With an emphasis on bringing the latest technology in kitchen appliances to the market, focusing on style, functionality, and most importantly value for money.

With the Pythagora range of products, Baumatic has taken the next step into the future of kitchen appliance design. Sleek, stylish and sophisticated, the Pythagora range will define both the aesthetic and the practical elements of your kitchen. Technology here plays a particularly strong part, with intelligent electronics, surface heat reduction solutions, time saving programs and much more. With the unsurpassed performance and functionality of Baumatic, you can be sure that you've made the smart choice when it comes to your kitchen.

The Baumatic range includes ovens, cooktops, rangehoods, dishwashers, upright cookers, coffee machines and warming drawers.

A three year extended customer care program and warranty comes standard with all Baumatic products.

Baumatic – The smart choice.





markfree

### Class A Energy Efficiency

Here at Baumatic we take caring for the environment very seriously. This is why Baumatic ensures that our ovens are of the highest standard of energy efficiency.

The European Union enforce energy ratings for all upright cookers and inbuilt ovens, the highest energy efficiency rating attainable is Class A. All Baumatic upright cookers and inbuilt ovens have been tested and have received the Class A energy rating.

### Mark Free Stainless Steel

Touch the Baumatic oven and you will immediately see how it will leave a lasting impression of a different kind. Your fingermarks will not be left behind on the oven emphasizing the wonderful advantage of this mark free stainless steel finish on all Baumatic ovens.

Cleaning will become an easy wipe over action rather than a tedious effort of continuous polishing to create that lasting shine.

### Pyrolytic Cleaning and Wipe Clean Enamel Interior

To aid the cleaning process Baumatic have true self-cleaning ovens whereby you select the Pyrolytic function that enables the ovens to reach 500 C. This temperature is sustained during a period of 90 minutes allowing any emissions produced during everyday cooking to be burnt to ashes.

These ash deposits can be easily wiped clean from the non porous oven enamel with a soft damp cloth once the oven has cooled down. Baumatic have designed oven doors that lock automatically during this process, in order to ensure your safety.

### Cavity Cooling and Cool Door System

An inbuilt cooling fan circulates air around the oven to maintain safe surface temperatures and protect cabinets from heat damage. This fan works to ensure that the inside of your oven and control panel do not overheat. Even after you have finished cooking, the cooling fan will continue to work until the temperature reaches a safe level.

On certain models the cavity cooling is coupled with the cool door system in which the inbuilt cooling fan circulates air around the oven and through the door.



### Triple Glazed Glass Doors

Three layers of glass in the oven door maintain the internal temperature more efficiently while keeping the external door temperature safer to touch. Most ovens now come with a full width inner door glass, making cleaning easier.

### Twin Safety Cut Out Switches

All Baumatic ovens have two safety switches. If the oven exceeds the recommended temperature, the safety switch will automatically cut the power off.

### Electronic Control and Program Timer

Some Baumatic ovens are enhanced with an electronic control system utilising electronic thermostats and temperature displays.

All Baumatic ovens are equipped with an electronic fully programmable LED clock with digital display. The advantage of these LED clocks whilst displaying the time continuously is the ability to operate the clock as a timer while cooking and in addition offer the convenience of fully programming your oven to turn on and off to have your meal ready any time of the day.



### Removable Door, Side Racks and Roof Liners

In order to make our ovens easier to maintain, Baumatic have developed oven doors with superior hinging that can be easily detached without the aid of any tool.


Additionally the removable roof liner above the upper element that protects the top of the cavity from cooking splashes can smoothly slide out to be easily and conveniently cleaned at the sink.

Baumatic ovens incorporating the chromed steel side shelf holders and racks can also be removed with ease allowing you to fully wipe over the interior enamel of your oven efficiently.



### Multifunction Cooking System

All Baumatic ovens have been designed to deliver optimum cooking results. Multifunction cooking gives you the flexibility to choose the right function that best suits your recipes. Baumatic ovens give you up to 12 different cooking functions, from a sunday roast to a sweet soufflé, the flexibility of our ovens and upright cookers will truly make your cooking world class.





#### **Flame Failure Safety System**

Thanks to Baumatic, you can enjoy complete peace of mind whilst you cook. Our flame failure safety system automatically cuts the gas supply should the flame be extinguished because of a strong current of air or liquid spillage. In effect, because we have devoted our time to ensuring your safety, you can devote your time to simply enjoying yourself in the kitchen.



#### **High Powered Wok Burner**

All Baumatic gas cooktops feature the new 16 MJ high powered triple flame wok burner. For total control, this new wok burner is dual controlled to enable you to operate the powerful flame right down to the finest simmer for delicate cooking.

#### **One Piece Cooktop Surface**

Pressed from a single sheet of stainless steel, the Baumatic gas cooktop features a seamless one-piece hob design with built-in skirts and conveniently located front controls making it aesthetically appealing, user friendly and easy to clean.



#### **Cast-iron Pan Supports**

The innovative design of these strong pan supports was inspired by a special study on the efficiency of professional kitchen appliances. Researchers found that heat can be more evenly distributed if you provide greater stability to the base of a saucepan.



#### **Under-knob Automatic Ignition**

In order to make the use of our products even easier, Baumatic have made sure that you only have to press down and turn the control knob for the hob to ignite. This simple way of igniting means that you do not have to fiddle with any extra buttons or waste time looking for matches.



#### **Electric Ceramic Cooktops**

Baumatic ceramic cooktops are built with advanced technology that delivers fast cooking results for the electric market. Gone are the days when electric cooktop style cooking is slow and unresponsive. From a powerful 2700 watts through to a finer simmering power, Baumatic's ceramic electric cooktops heat up in a matter of seconds.

#### **Child Safety**

Simply by gently pushing the lock keys on our ceramic cooktops, you can prevent the controls from being inadvertently adjusted by any member of the family. In order to make our appliances even safer, our residual heat indicators remain on until the temperature on the cooking zone has dropped below 50°C.

#### **Touch-sensitive Control Panel**

You will notice the design and layout of the controls makes operating our ceramic cooktops easy. Whilst the touch control system is simple and effective to use, it also offers the convenience of keeping the surface clean because there are no control knobs.



#### **Induction - an Innovative Way to Cook**

Using an induction cooktop is a truly unique and revolutionary way to cook. Induction cooking is not like traditional cooking methods that rely on the surface of the hob that gets heated by either gas or electric burners, which then heats the cooking utensil. Under the surface of the induction hob are generators. These generators send high frequency currents through the glass surface into the cooking utensil when placed onto the hob. These magnetic currents then heat up the pan directly inside, not the surface of the hob.

Induction cooktops thus are the most safest cooking appliance on the market today. In fact you could cook a stir fry and place a tea towel under the wok and it would not catch on fire. Not only is induction the safest cooking method, it is the most energy efficient. Finally the performance of induction is unmatched. It will cook faster than any other heat source available and has impeccable control. From a boil to the finest simmer in literally seconds. Induction gives you total control at your fingertips.

#### **Booster Function**

Induction means that you do not have to pre-heat the zones. This is because it is the pan itself which heats and not the zone that transmits heat. Thanks to the booster function which steadily increases performance, the temperature rises even more quickly. You can get a pot of boiling water in no time!



### Quiet Operation

All of our Rangehoods have quiet operation. Even when they are used at maximum power, the noise level is considerably low and never exceeds 62 dB (approximately normal conversation level). This means that you can cook in a peaceful environment and still know that your rangehood is effectively eliminating odours.



### Metallic Grease Filter Cleaning Timer

Some Baumatic Rangehoods come with a lamp which signals when it is necessary to clean the grease filters. By helping you to remember to clean your appliance, this lamp will ensure that your hood continues to run at optimum levels of performance.



### Lighting

Baumatic Rangehoods offer a variety of lighting options to suit all preferences. Halogen lighting is strategically placed on our Rangehoods to effectively lighten up the working area. These low voltage halogens produce a sharp, bright light to ensure a safe working environment. Alternatively some Baumatic Rangehood models offer white neon lighting that produce a fresh, crisp light to the cooking area that is efficient to run.



### Extraction or Recirculating

All Baumatic Rangehoods are ready to operate as a ducted appliance. Baumatic highly recommends this type of installation for the most effective operation of your Baumatic rangehood. If for some reason you cannot duct your hood to atmosphere, a carbon filter/s can be purchased to fit to your hood, which will help eliminate odours and thus allow you to recirculate the air back into the kitchen.



### Auto Cook

Making life easier in the kitchen for you, all Baumatic microwave ovens include an auto cook feature. Simply select the food type, there are 14 to choose from, add the weight and then press start. The microwave will then calculate the suitable time and power level for optimum cooking results.



### Microwave Grill

As we have highlighted your Baumatic microwave can do more than just heat up your food. The grill function will enhance the final result of food being reheated by keeping food crisp. Ideal for reheating pastries by selecting the grill option combined with microwave heating.

### Convection Cooking

Further to the grill function, some of our Baumatic microwaves have a combination cooking ability. This turns the microwave into a convection oven that can bake and roast meat, casseroles and vegetables additional to your main oven. The microwave utilises a special heating element and fan system to do so.



### Dishwashers with Concealed Heating Elements

In order to protect your fragile dishes from calcite, Baumatic have placed the heating element outside of the inner section of the dishwasher. This ensures that there can be no accidental contact between the items that you are washing and the heating element.


### Anti-flooding and Anti-leakage

Baumatic have minimized the risk of leaks and flooding by equipping all our dishwashers with a first-class protection system. This system will prevent the appliance from leaking in your home.




### Adjustable Baskets

Our appliance designers have ensured that you can utilise the space inside your dishwasher as effective as possible. This means you can stack more in and the basket system is flexible enough to suit the many types of dishes needing to be cleaned. One of our new features is to enable you to adjust the top basket in seconds with our new easy to adjust handle system. Simply lift the handles on each side to adjust the top basket up or down. A very convenient feature that will save you time.




**Light**

Separate light control allows light to be switched on even when the oven is off.




**Top element only**

This method of cooking uses the outer part of the top element to direct heat downwards onto the food. For gentle cooking, browning or keeping cooked dishes warm.




**Pizza function**

This method of cooking uses the lower and circular element while the heat is distributed by the fan reproducing the same conditions of traditional clay wood-fire stoves.




**Lower element only**

This method of cooking uses the lower element to direct heat upward to the food. For slow cooking recipes or for warming up meals.




**Convention oven**

This method of cooking provides traditional cooking with heat from the top and lower elements. Particularly suitable for roasting and baking on one shelf only.




**Full grill & rotisserie**

Please check your model number to establish if the rotisserie accessory is supplied. This function will operate the rotisserie as well as the grill simultaneously giving a moderate to strong heat. Best for whole chickens, kebabs, and speed roasts.




**Half grill**

This cooking method is normal grilling utilising the inner part only of the top element, which directs heat downward onto the food. Suitable for grilling small portions of bacon, toast, meat, etc.




**Full grill**

This cooking method is normal grilling utilising the inner and outer part of the top element, which directs heat downwards onto the food. Suitable for grilling medium or large portions of sausages, bacon, steaks, fish, etc.




**Grill & rotisserie**

Please check your model number to establish if the rotisserie accessory is supplied. This function will operate the rotisserie as well as the grill and the fan simultaneously. Best for quick browning and even roasting.




**Fan forced**

This method of cooking uses the circular element while the heat is distributed by the fan, resulting in a faster and more economical operation. Cooking with the fan on allows different kinds of food to be cooked simultaneously on different shelves.




**Fan & lower element**

This method of cooking uses the bottom element only while the fan is circulating the heat. For delicate dishes and heating pre-cooked food. It is also for sterilising preserving jars.




**Defrost**

The fan runs without heat to reduce the defrosting time of frozen foods. The time required to defrost the food will depend on the room temperature, the quantity and type of food. Always check food packaging for instructions.




**Fan assisted**

This method of cooking provides traditional cooking with heat from the top and the lower element, plus the use of circulation fan to ensure an even distribution of the heat. Suitable for light and delicate baking such as pastries.



**Fan & grill**

This method of grilling uses the top element in conjunction with the fan to help a fast circulation of heat. Suitable where quick browning is required and sealing the juices in such as steaks, hamburgers, some vegetables, etc.



**PRH - Preheating**

This function uses the grill, the lower element and fan. It is intended for preheating the oven in a faster time up to 210°C.





**BAO6001-P**

**60 cm Fan forced oven**



- 4 Functions
- Mark free stainless steel
  - Wipe clean enamel interior
  - LED 24hr program timer
  - Removable roof guard
  - Easy glide door hinges
  - Fully sealed oven
  - Triple glazed door with full inner door glass
  - One piece seamless oven liner
  - Moulded side oven racks
  - Cavity cooling system

**BAO6003-P**

**60 cm Multifunction oven**



- 7 Functions
- Mark free stainless steel
  - Wipe clean enamel interior
  - LED 24hr program timer
  - Removable roof guard
  - Easy glide door hinges
  - Fully sealed oven
  - Triple glazed door with full inner door glass
  - One piece seamless oven liner
  - Moulded side oven racks
  - Cavity cooling system

**BAO6005-P**

**60 cm Multifunction oven**



- 9 Functions
- Mark free stainless steel
  - Wipe clean enamel interior
  - LED temperature display
  - LED 24hr program timer
  - LED function display
  - Auto temperature display
  - Retractable control knob
  - Removable roof guard
  - Easy glide door hinges
  - Fully sealed oven
  - Triple glazed door with full inner door glass
  - One piece seamless oven liner
  - Chromed steel oven racks
  - Cavity cooling system

**BAO6009-P**

**60 cm Multifunction self cleaning pyrolytic oven**



- 9 Functions
- Mark free stainless steel
  - Pyrolytic auto clean system
  - Superior quality enamel interior
  - LED temperature display
  - LED 24hr program timer
  - Quadruple glazed door
  - Safety door locking mechanism for pyrolytic cleaning
  - Easy glide door hinges
  - One piece seamless oven liner
  - Fully sealed oven
  - Moulded side oven racks
  - Cavity cooling and cool door system

**BAO6011-P2**

**60 cm Multifunction Side-opening Oven**



- 9 Functions
- Mirror glass and mark free stainless steel finish
- Giant 75 litre oven capacity
- Wipe clean enamel interior
- LED 24hr program timer
- LED temperature display
- Removable roof guard
- Fully sealed oven
- Triple glazed door with full inner door glass
- One piece seamless oven liner
- Chromed steel oven racks
- Cavity cooling system



**BAO7006-P**

**70 cm Multifunction Oven**



- 9 Functions
- Mark free stainless steel finish
- Wipe clean enamel interior
- LED 24hr program timer
- Easy glide door hinges
- Removable roof guard
- Fully sealed oven
- Triple glazed door with full inner door glass
- One piece seamless oven liner
- Chromed steel oven racks
- Cavity cooling system
- Rotisserie



**BAO9038-P**

**90 cm Multifunction Oven**



- 9 Functions
- Mark free stainless steel finish
- Wipe clean enamel interior
- LED 24hr program timer
- Easy glide door hinges
- Triple glazed door
- One piece seamless oven liner
- Cavity cooling system
- Chromed steel oven racks
- Rotisserie



**BAO6008-P**

**60 cm Double Oven**

Top oven: 4 functions • Capacity 36 litres



Main oven: 9 functions • Capacity 60 litres



- 4 Functions Top oven
- 9 Functions Main oven
- Wipe clean enamel interior
- LED 24hr program timer
- Easy glide door hinges
- Triple glazed removable oven door
- One piece seamless oven liner
- Cavity cooling system
- Chromed steel oven racks



**BAO4636-P**

**46 cm Touch Control Multifunction Oven**



- 10 Functions
- Mark free stainless steel
- Wipe clean enamel interior
- LED temperature display
- LED 24hr program timer
- LED function display
- Touch control operation
- Easy glide door hinges
- Fully sealed oven
- Triple glazed door with full inner door glass
- One piece seamless oven liner
- Chrome steel oven racks
- Cavity cooling system

**BAO6035-P**


**60 cm Touch Control Multifunction Oven**



- 10 Functions
- Mark free stainless steel
- Wipe clean enamel interior
- LED temperature display
- LED function display
- LED 24hr program timer
- Touch control operation
- Easy glide door hinges
- Fully sealed oven
- Triple glazed door with full inner door glass
- One piece seamless oven liner
- Chromed steel oven racks
- Cavity cooling system

**BAWD1401-P**

**14 cm high Warming drawer**



- Mark free stainless steel
- 3 heat levels
- Adjustable temperature (up to 85 ° C)
- Accommodate 6 place setting
- Maximum load: 25kg

**BAWD2902-P**


**29 cm high Warming drawer**



- Mark free stainless steel
- 6 heat levels plus MAX
- Adjustable temperature (up to 70 ° C)
- Accommodate 12 place setting
- Maximum load: 25kg

**BACG6030-P**

**60 cm Four Burner Gas Cooktop**



New unique design  
Stainless steel  
16 MJ high powered triple flame wok burner  
Dual controlled wok burner for fine simmer or maximum power  
Flame failure safety device  
Cast iron trivets with rubber feet  
Automatic under knob electronic ignition  
High quality alloy burner system  
Convenient front controls  
One piece easy wipe surface with spill catchment area

**BACG7531-P**

**70 cm Five Burner Gas Cooktop**



New unique design  
Stainless steel  
16 MJ high powered triple flame wok burner  
Dual controlled wok burner for fine simmer or maximum power  
Flame failure safety device  
Cast iron trivets with rubber feet  
Automatic under knob electronic ignition  
High quality alloy burner system  
Convenient front controls  
One piece easy wipe surface with spill catchment area

**BACG7532-P**

**75 cm Flushline Five Burner Gas Cooktop**



Flush line design  
Stainless steel  
16 MJ high powered triple flame wok burner  
Dual controlled wok burner for fine simmer or maximum power  
Flame failure safety device  
Cast iron trivets with rubber feet  
Automatic under knob electronic ignition  
High quality alloy burner system  
Convenient front controls  
One piece easy wipe surface with spill catchment area

**BACG9033-P**

**90 cm Five Burner Gas Cooktop**



New unique design  
Stainless steel  
16 MJ high powered triple flame wok burner  
Dual controlled wok burner for fine simmer or maximum power  
Flame failure safety device  
Cast iron trivets with rubber feet  
Automatic under knob electronic ignition  
High quality alloy burner system  
Convenient front controls  
One piece easy wipe surface with spill catchment area

**BACG3034-P**



**30 cm Two Burner Gas Cooktop**

New unique design  
Stainless steel  
Flame failure safety device  
Cast iron trivets with rubber feet  
Automatic under knob electronic ignition  
High quality alloy burner system  
Convenient front controls  
One piece easy wipe surface with spill catchment area  
Optional joining strip available - PJS

**BACG3035-P**



**30 cm Wok Burner Cooktop**

New unique design  
Stainless steel  
16 MJ high powered triple flame wok burner  
Dual controlled wok burner for fine simmer or max power  
Flame failure safety device  
Cast iron trivets with rubber feet  
Automatic under knob electronic ignition  
High quality alloy burner system  
Convenient front controls  
One piece easy wipe surface with spill catchment area  
Optional joining strip available - PJS


**BACE3036-P**



**30 cm Two Hyperspeed Zone Ceramic Hob**

2 hyper speed zones  
Stainless steel frame  
Tough ceran glass surface  
Spill catchment area  
Residual heat indicators  
Convenient front controls  
Optional joining strip available - PJS

**BAMW2330-P**



**23 Litre Microwave Oven with Grill**

Microwave power: 900W  
Grill power: 1000W  
Mirror glass finish  
Stainless steel interior  
LED display & clock, fully programmable  
99min 99sec timer  
Electronic push button controls  
Child safety lock  
14 functions, 10 power levels  
Oven capacity: 23 litres

**OPTIONAL TRIMKIT – BTK2325**

**BAMW2531-P**



**25 Litre Convection Microwave Oven with Grill**

Microwave power: 900W  
Grill power: 1200W  
Mirror glass finish  
Stainless steel interior  
LED display & clock fully programmable  
99min 99sec timer  
Electronic push button controls  
Child safety lock  
16 functions, 10 power levels  
Oven capacity: 25 litres

**OPTIONAL TRIMKIT – BTK2325**

**BAM3000**



**30 Litre Convection Microwave Oven with Grill**

Microwave power: 900W  
Grill power: 1000W  
Stainless steel interior & exterior  
LED display & clock fully programmable  
99min 99sec timer  
Electronic push button controls  
Child safety lock  
7 functions, 11 power levels  
Oven capacity: 30 litres

**OPTIONAL TRIMKIT – BTK30**



BAF9006.2

**Class A Energy Rating**

The European Union enforce energy ratings for all upright cookers, the highest energy efficiency rating attainable is Class A. The Baumatic upright cookers have been tested and have received the Class A energy rating.

**Zero Side Clearance**

All Baumatic upright cookers are built using the latest technology and are superior in design. These upright cookers maintain cool operating temperatures that allows you to install the cooker with no gaps on each side for a perfect fit.



**90 cm Dual Fuel Upright Cooker  
Electric 10 Multifunction Oven and Grill**



**Oven features:**

- Stainless steel framed, triple glazed door
- Full inner glass door
- LED 24hr program timer
- Chrome steel oven racks
- Rotisserie
- Large usable oven capacity

**Cooktop features:**

- Five burner gas hob with triple flame wok burner
- Automatic under knob ignition
- Heavy duty cast iron trivets
- One piece easy clean surface
- Flame failure safety system



**Triple Glazed Door**



**Flame Failure Safety System**



**Large Oven Capacity**

BAF9007.2



**90 cm Dual Fuel Double Oven Upright Cooker  
Electric 10 Multifunction Oven and Grill**

main oven



second oven



**Oven features:**

- Stainless steel framed, triple glazed door
- Full inner glass door
- LED 24hr program timer
- Rotisserie
- Chrome steel oven racks
- Large usable twin oven capacity

**Cooktop features:**

- Five burner gas hob with triple flame wok burner
- Automatic under knob ignition
- Heavy duty cast iron trivets
- One piece easy clean surface
- Flame failure safety system

BAF9008.2



**90 cm All Electric Upright Cooker  
Electric 10 Multifunction Oven and Grill**



**Oven features:**

- Stainless steel framed, triple glazed door
- Full inner glass door
- LED 24hr program timer
- Rotisserie
- Chrome steel oven racks
- Large usable oven capacity

**Cooktop features:**

- Five zone hyper speed electric ceran cooktop
- Three extended zones
- Residual heat indicators


OPTIONAL EXTRAS

**Stainless Steel Splashback : GESB9001.1**

Complete your Baumatic rangehood and upright package with an optional stainless steel splashback.

Height = 700mm

Width = 900mm



**Griddle Plate : BT/GRID**

Turns your cooktop into a flexible cooking utensil.

Place over the centre burner on a 90cm gas cooktop, or over two individual gas burners allowing for two different levels of heat.

Suitable for all cooking theatres with gas cooktops and all inbuilt gas cooktops.




**Pizza Stone : PIZZA60 or PIZZA90**

Versatile pizza stone for upright cookers and inbuilt ovens.

Made from selected fired clay, dried and heated at 1315°C.

Ideal for bread or patisserie style cooking





BAF6001



**60 cm Dual Fuel Upright Cooker**  
**Electric 10 Multifunction Oven and Grill**



**Oven features:**

- Stainless steel framed, triple glazed door
- Full inner glass door
- Wipe clean, non-porous enamel oven cavity
- LED 24hr program timer
- Rotisserie
- Telescopic oven safety shelves
- Storage drawer
- Large usable oven capacity

**Cooktop features:**

- Four burner gas hob with triple flame wok burner
- Automatic under knob ignition
- Flame failure safety device
- Heavy duty cast iron trivets
- One piece easy clean surface

BAF7002



**70 cm Dual Fuel Upright Cooker**  
**Electric 10 Multifunction Oven and Grill**



**Oven features:**

- Stainless steel framed, triple glazed door
- Full inner glass door
- Wipe clean, non-porous enamel oven cavity
- LED 24hr program timer
- Rotisserie
- Telescopic oven safety shelves
- Storage drawer
- Large usable oven capacity

**Cooktop features:**

- Five burner gas hob with triple flame wok burner
- Automatic under knob ignition
- Flame failure safety device
- Heavy duty cast iron trivets
- One piece easy clean surface

BAF9003



**90 cm Dual Fuel Upright Cooker**  
**Electric 10 Multifunction Oven and Grill**



**Oven features:**

- Stainless steel framed, triple glazed door
- Full inner glass door
- Wipe clean, non-porous enamel oven cavity
- LED 24hr program timer
- Rotisserie
- Telescopic oven safety shelves
- Storage drawer
- Large usable oven capacity

**Cooktop features:**

- Five burner gas hob with triple flame wok and fish burner
- Automatic under knob ignition
- Flame failure safety device
- Heavy duty cast iron trivets
- One piece easy clean surface

**BA10**



**60 cm Ceramic Electric Cooktop**

Four radiant zones  
 Frameless design  
 Tough ceran glass surface  
 Residual heat indicators  
 Side control knob operation

**BA16.2SS**



**77 cm Ceramic Electric Cooktop**

Four hyper speed zones including one dual zone and one extended zone  
 Stainless steel designer wrap around frame  
 Tough ceran glass surface  
 Child safety lock  
 Residual heat indicators  
 Pre-heat function  
 Electronic 99 minute timer  
 Convenient front touch control operation

**BA13.2**



**60 cm Ceramic Electric Cooktop**

Four radiant zones  
 Frameless design  
 Tough ceran glass surface  
 Child safety lock  
 Residual heat indicators  
 Pre-heat function  
 Electronic 99 minute timer  
 Side touch control operation

**BA24.3**



**60 cm Induction Electric Cooktop**

Four induction cooking zones, with booster feature on large cooking zone  
 Four independent induction generators  
 Bevelled edge  
 Tough ceran glass surface  
 Auto pan detection  
 Child safety lock  
 Residual heat indicators  
 Electronic 99 minute timer  
 Front touch control operation & electronic timer  
 7 kW maximum power

**BA15.2SS**



**60 cm Ceramic Electric Cooktop**

Four hyper speed zones including dual zone  
 Stainless steel designer wrap around frame  
 Tough ceran glass surface  
 Child safety lock  
 Residual heat indicators  
 Pre-heat function  
 Electronic 99 minute timer  
 Side touch control operation

**BACE9001**



**90 cm Ceramic Electric Cooktop**

Four hyper speed zones including two dual zones  
 Stainless steel wrap around frame  
 Unique inline zone design  
 Tough ceran glass surface  
 Child safety lock  
 Residual heat indicators  
 Pre-heat function  
 Electronic 99 minute timer  
 Convenient front touch control operation





Control panel with buttons

**BAH6018**



**60 cm Slideout Rangehood**

Stainless steel rail with white underside  
Twin centrifugal motors  
440 m<sup>3</sup>/hr drawing capacity  
3 speed slide control  
Twin incandescent lighting  
2 framed metallic grease filters

**BHH5600  
BHH8000**



**56 cm Undermount Rangehood  
80 cm Undermount Rangehood**

Stainless steel finish  
Single tangential motor  
600 m<sup>3</sup>/hr drawing capacity  
3 speed electronic optical controls  
Automatic shut off timer  
Clean filter warning  
Twin square halogen lighting  
2 framed anti-grease grease filters with stainless steel grill

**BAH6019**



**60 cm Slideout Rangehood**

Stainless steel rail with white underside  
Single tangential motor  
700 m<sup>3</sup>/hr drawing capacity  
3 speed electronic control  
Twin round halogen lighting  
2 framed metallic grease filters

**BAH6008  
BAH7006**



**60 cm Wall Canopy  
70 cm Wall Canopy**

Stainless steel finish  
High extraction tangential motor  
700 m<sup>3</sup>/hr drawing capacity  
3 speed, push button controls  
2 framed metallic grease filters  
Twin round halogen lighting  
Stainless steel flue extensions available

**BAH9033**



**90 cm Slideout Rangehood**

Stainless steel rail with black underside  
Single centrifugal motor  
385 m<sup>3</sup>/hr drawing capacity  
2 speed slide control  
Twin round halogen lighting  
1 framed metallic grease filter

**BAH9007**



**90 cm Wall Canopy**

Stainless steel finish  
High extraction tangential motor  
700 m<sup>3</sup>/hr drawing capacity  
3 speed, push button controls  
3 framed metallic grease filters  
Twin round halogen lighting  
Stainless steel flue extensions available

**BHH9028**



**90 cm Wall Canopy**

Superior stainless steel finish  
Twin square halogen lighting  
Single tangential motor  
800 m<sup>3</sup>/hr drawing capacity  
4 speed electronic optical controls  
3 framed anti-grease filter with stainless steel grill

**BHH9034**



**90 cm Wall Canopy**

Superior stainless steel finish  
800 m<sup>3</sup>/hr drawing capacity  
4 speed electronic optical controls  
Automatic shut off timer  
Clean filter warning  
3 framed anti grease filters with stainless steel grill  
White neon lighting  
Night illuminating panel

**BHH9029G**



**90 cm Glass Wall Canopy**

Superior stainless steel finish with tempered glass smoke visor  
Twin square halogen lighting  
Single tangential motor  
800 m<sup>3</sup>/hr drawing capacity  
4 speed electronic optical controls  
Automatic shut off timer  
Clean filter warning  
2 framed anti-grease filters with stainless steel grill

**BHH9035**



**90 cm Wall Canopy**

Superior stainless steel finish  
Single tangential finish  
800 m<sup>3</sup>/hr drawing capacity  
4 speed electronic optical controls  
3 framed anti-grease filters with stainless steel grill  
Clean filter warning  
White neon lighting  
Automatic shut off timer  
Night illumination panel


**BHH9027G**



**90 cm Glass Wall Canopy**

Superior stainless steel finish with curved glass smoke visor  
Twin square halogen lighting  
Single tangential motor  
800 m<sup>3</sup>/hr drawing capacity  
4 speed electronic optical controls  
Automatic shut off timer  
Clean filter warning  
2 framed metallic grease filters

**BAH9031-P**



**90 cm Chimney hood**

Markfree stainless steel finish  
Single tangential motor  
800 m<sup>3</sup>/hr drawing capacity  
Advanced perimeter suction  
Sound absorption panel  
4 speed electronic optical controls with LED screen  
Automatic shut off timer  
Clean filter warning  
3 round halogen lights  
2 framed metallic grease filters

**BAH4030-P****40 cm Island hood**

Superior stainless steel finish  
Single tangential motor  
800 m<sup>3</sup>/hr drawing capacity  
Advanced perimeter extraction  
Sound absorption panel  
4 speed electronic optical controls with LED screen  
Automatic shut off timer  
Clean filter warning  
Four halogen lights  
1 Framed metallic grease filter

**BHH9034-IS****90 cm Island Canopy**

Superior stainless steel finish  
800 m<sup>3</sup>/hr drawing capacity  
4 speed electronic optical controls  
Automatic shut off timer  
Clean filter warning  
3 framed anti grease filters with stainless steel grill  
White neon lighting  
Night illuminating panel

**BHH9029G-IS****90 cm Glass Island Canopy**

Superior stainless steel finish with tempered glass smoke visor  
Twin square halogen lighting  
Single tangential motor  
800 m<sup>3</sup>/hr drawing capacity  
4 speed electronic optical controls  
Automatic shut off timer  
Clean filter warning  
2 framed anti-grease filters with stainless steel grill

**ACCESSORIES**

Flue cover extensions enable effective Rangehood installation for ceilings of all heights.  
Available for all Baumatic Canopies.



Charcoal filters enable effective filtering of recirculated air back into your kitchen.  
Available for all Baumatic Rangehoods.

**BAD6002**



**60 cm Freestanding Dishwasher**

Mark free stainless steel door  
 Twelve place settings  
 Seven wash programs  
 Four wash temperatures  
 Concealed control panel  
 LED function & time display on front door panel  
 Half load function  
 Delay timer  
 Concealed heating element  
 Convection dry  
 Self cleaning stainless steel micro filter  
 Anti leak & anti flood water safety device  
 Pex durable hoses

**BAD6003**



**60 cm Fully Integrated Dishwasher**

Integrate to match cabinetry  
 Twelve place settings  
 Turbo condenser drying  
 Seven wash programs  
 Four wash temperatures  
 Concealed control panel  
 Half load function  
 Delay timer  
 Concealed heating element  
 Anti leak & anti flood water safety device  
 Self cleaning stainless steel micro filter  
 Pex durable hoses

**BFD67ISS**



**60 cm Freestanding Dishwasher**

14 Place settings  
 8 Functions  
 4 Wash temperatures  
 Half load  
 Electronic aqua stop  
 Residual drying  
 LCD Display and delay timer  
 Mark resistant coating  
 Concealed heating element  
 Self cleaning Stainless Steel micro filter  
 Anti leak device + anti flood device  
 Height adjustable upper basket  
 Collapsible plate racks  
 Adjustable feet

**BAEC2SS**



**60 cm Espresso Coffee Machine**

Mark free stainless steel  
 Push button control operation  
 Filter suitable for pods, ground coffee or loose-leaf tea  
 Coffee regulation – extra strong / normal / weak  
 Steam spout for frothing milk or heating water  
 Pull-out storage compartment for accessories  
 Separate boiler and pump for coffee making & steam  
 Coffee pump pressure = 15 bar  
 Steam pump pressure = 2.5 bar  
 Removable 2 litres capacity water tank  
 Water softener for water filtration  
 Empty water tank warning LED light  
 Reaching temperature LED indicator  
 Safety stop operation on pumps  
 Removable drip tray for ease of cleaning  
 Suitable for plumbing in  
 OPTIONAL PLUMBKIT: BAPK6001


**BAEC2SS.2**




**60cm Semi Automatic Coffee Machine**

Mark resistant coating with central mirror glass  
 Touch control operation  
 Filter suitable for pods, ground coffee or loose-leaf tea  
 Steam spout for frothing milk  
 Hot water dispensing spout for tea or instant coffee  
 Pull-out storage compartment for accessories  
 Separate boiler and pump for coffee making & steam  
 Coffee pump pressure = 15 bar  
 Removable 1.8 litres capacity water tank  
 Water softener for water filtration  
 Empty water tank warning LED light  
 Reaching temperature LED indicator  
 Safety stop operation on pumps  
 Removable drip tray for ease of cleaning  
 Plumb-kit is standard allowing unit to be plumbed in  
 Water tank can be manually filled







BAO6003-P, BAO6005-P, BA6009-P and BAO6035-P : 15 AMP PLUG  
BAO6001-P : 10 AMP PLUG




BAO6011-P : 15 AMP PLUG




BAO7006-P : 15 AMP PLUG




BAO9038-P : 15 AMP PLUG




BAO6008-P : HARD WIRED 30 AMP




BAO4636-P : 15 AMP PLUG




BACG3034-P : 10 AMP PLUG




BACG3035-P : 10 AMP PLUG




BACG7532-P : 10 AMP PLUG




BACG6030-P : 10 AMP PLUG




BACG7531-P : 10 AMP PLUG




BACG9033-P : 10 AMP PLUG




**BACE3036-P : HARD WIRED 15 AMP**




**BA10 : HARD WIRED 25 AMP**




**BA13.2 : HARD WIRED 25 AMP**  
**BA15.2SS : HARD WIRED 30 AMP**





**BA24.3 : HARD WIRED 32 AMP**



**BA16.2SS : HARD WIRED 30 AMP**




**BACE9001 : HARD WIRED 30 AMP**




BAF9006.2 + BAF9007.2 : **15 AMP PLUG**  
 BAF9008.2 : **HARDWIRED 50 AMP**  
 OPTIONAL STAINLESS STEEL KICK PANEL : **GEKP9004**


BAF6001 + BAF7002 + BAF9003 : **15 AMP PLUG**




BAMW2330-P : **10 AMP PLUG**




BAMW2531-P : **10 AMP PLUG**




BAM3000 : **10 AMP PLUG**




**BAWD1401-P : 10 AMP PLUG**




**BAEC2SS : 10 AMP PLUG**




**BAD6003 : 10 AMP PLUG**




**BAWD2902-P : 10 AMP PLUG**




**BAEC2SS.2 : 10 AMP PLUG**




**BAD6002 + BFD671SS : 10 AMP PLUG**




**BAH6018 : FLUE OUTLET - 120MM  
CARBON FILTER - GECE0107**




**BAH6019 : FLUE OUTLET - 120MM  
CARBON FILTER - GECE0108**




**BAH9033**




**BHH5600 + BHH8000 : FLUE OUTLET - 150MM  
CARBON FILTER - GECE0116**



**BAH9007 + BAH6008 + BAH7006 : FLUE OUTLET - 120MM  
CARBON FILTER - GECE0108  
FLUE COVER EXTENSION - GEFE1202**




**BHH9028 : FLUE OUTLET - 150MM  
CARBON FILTER - GECE0113  
FLUE COVER EXTENSION - GEFE9602**




**BHH9029G : FLUE OUTLET - 150MM  
CARBON FILTER - GECE0113  
FLUE COVER EXTENSION - GEFE9602**

**ELECTRICAL CONNECTIONS : ALL RANGEHOODS AND CANOPIES COME WITH A 10 AMP PLUG**


*For full installation requirements, including ventilation for cabinetry, please refer to user and installation manual found with the product or on our website.*




**BHH9027G : FLUE OUTLET - 150MM  
CARBON FILTER - GECF0113  
FLUE COVER EXTENSION - GEFE9604**




**BHH9034 : FLUE OUTLET - 150MM  
CARBON FILTER - GECF0113  
FLUE COVER EXTENSION - GEFE9602**



**BHH9035 : FLUE OUTLET - 150MM  
CARBON FILTER - GECF0113  
FLUE COVER EXTENSION - GEFE9605**




**BAH9031-P : FLUE OUTLET - 150MM  
CARBON FILTER - GECF0114**




please note:  
a minimum  
2500mm  
ceiling height  
is required for  
this hood, giving an  
allowance of 650mm  
clearance above  
cooktop burners.

**BAH4030-P : FLUE OUTLET - 150MM  
CARBON FILTER - GECF0114**



**BHH9029G-IS : FLUE OUTLET - 150MM  
CARBON FILTER - GECF0113  
FLUE COVER EXTENSION - GEFE1200**




**BHH9034 - IS : FLUE OUTLET - 150MM  
CARBON FILTER - GECF0113  
FLUE COVER EXTENSION - GEFE1200**

**ELECTRICAL CONNECTIONS : ALL RANGEHOODS AND CANOPIES COME WITH A 10 AMP PLUG**

For full installation requirements, including ventilation for cabinetry, please refer to user and installation manual found with the product or on our website.



: the smart choice



Baumatic imported and serviced by Think Appliances

65 Northgate Drive  
Thomastown  
Victoria  
AUSTRALIA 3074

Sales phone 1300 132 824  
Sales fax 1300 660 188

Service phone 1800 444 357  
Service fax 1300 133 279

Think Appliances operate a policy of continuous improvement and reserve the right to adjust and modify its products and prices without prior notification.

clive peeters  
So easy®

All Pythagora models are available exclusively through Clive Peeters and Rick Hart (WA) stores.  
Call: 1300 763 279 for your nearest store.

[www.baumatic.com.au](http://www.baumatic.com.au)