

Nöbel

Warranty Disclaimer

Every Nobel oven, cooktop, rangehood and dishwasher is under warranty for 2 years covering all parts and labour, excluding consumable items which includes globes and filters. Incorrect installation of any product will void all warranty. Nobel Appliances are designed and manufactured solely for the cooking of domestic (household) food and is not suitable for any non-domestic application and therefore should not be used in a commercial environment.

The Appliance guarantee will be void if the appliance is used within a non-domestic environment ie semi commercial or communal environment.



Sales: 1300 855 218

Service and Spare Parts: 1300 855 217

e: service@nobel.com.au e: spares@nobel.com.au

Victoria Sales:

p: [03] 9793 5717
f: [03] 9793 5617

e: melbourne@nobel.com.au

190 Hammond Road,
Dandenong, VIC 3175

Western Australia Sales:

p: [08] 9434 2900
f: [08] 9434 2999

e: perth@nobel.com.au

Level 1, 29 Port Pirie Street,
Bibra Lake, WA 6163

South Australia Sales:

p: [08] 8277 7611
f: [08] 8277 7655

e: adelaide@nobel.com.au

11 Bennet Ave,
Melrose Park, SA 5039

Queensland Sales:

p: [07] 3283 4651
f: [07] 3283 4663

e: queensland@nobel.com.au

21 Redcliffe Gardens Drive,
Clontarf, QLD 4019

distributed by

www.nobel.com.au

Nöbel



Stylish cooking solutions



Nobel free-standing cookers

Style and function all-in-one

Be Stylish



From first glance it's clear the Nobel range is about one thing – Style. Combining innovation with the very best European technology to produce robust highly efficient and practical appliances that best suit the modern lifestyle. Take for example the Nobel freestanding models. Specially designed trivets to keep your wok safe and secure while you enjoy the oriental style cooking. You will not only appreciate the instant response of gas with flame failure technology, but also the modern stainless steel finish and contemporary style control knobs. You also have the option of six individual burners on the 90cm model. All this is complemented with the many standard functions at your finger-tips.

FSE90-1



Six burner with wok – 90cm model

- 6 gas burners with wok & individual electronic Ignition
- large 8 function multifunction oven – 15amps
- full programmable electronic timer and clock
- flame failure device and dual gas outlet
- closed door grilling
- double glazed door with removable inner glass for easy cleaning
- plate warming and storage compartment
- cast iron trivets & burner caps
- height adjustable legs
- oven rating: Natural Gas 42 MJ/h or LPG 42 MJ/h



FSE90-1BM



Five burner with wok – 90cm model

- 5 gas burners with wok & indiv. electronic ignition
- large 5 function multifunction oven – 15amps
- closed door grilling
- dual gas outlet and double glazed door with removable inner glass for easy cleaning
- plate warming and storage compartment
- cast iron trivets & burner caps
- height adjustable legs
- oven rating: Natural Gas 39.6 MJ/h or LPG 39.6 MJ/h



FSE60-1



Four burner with wok – 60cm model

- 4 gas burners with wok & individual electronic ignition
- large 8 function multifunction oven – 15amps
- closed door grilling and height adjustable legs
- full programmable electronic timer and clock
- dual gas outlet and double glazed door with removable inner glass for easy cleaning
- cast iron trivets & burner caps
- plate warming and storage compartment
- oven rating: Natural Gas 28.6 MJ/h or LPG 28.6 MJ/h



FSE90-1 CER



Ceramic cooktop with electrical oven stainless steel

- 5 energy efficient rapid response radiant elements with oval and double cooking zones
- residual heat warming and element in use lights
- easy to clean hard wearing ceramic surface
- large 8 function multifunction oven – 15amps
- full programmable electronic timer and clock
- closed door grilling and height adjustable legs
- double glazed door with removable inner glass for easy cleaning
- plate warming and storage compartment
- oven rating: 12500 Watts



Nobel



Nobel cooktops

The elegant solution to complement your kitchen

Be Elegant



The Nobel cooktop selection provides a wide variety of cooktop sizes and styles. Choose from 600mm, 700mm or 900mm models in white, black, or the ever stylish stainless steel. Nobel cooktops come in either four, five burners or for the ultimate in cooking flexibility six burners that include wok jets. Some models even come with cast iron trivets to enhance the design.

4GCOL




Four burner gas cooktop – 60cm model colonial in white or black

- 1 simmer; 2 medium & 1 rapid burner
- electronic individual ignition under each knob
- dishwasher safe trivets & burner caps
- easy clean, one piece cooktop
- removable knobs for ease of cleaning
- optional cast iron trivets
- cooktop rating: Natural Gas 27.0 MJ/h or LPG 27.0 MJ/h



VAO4CAA



Ceramic cooktop – 60cm model white, black or stainless steel

- 4 rapid response ribbon elements
- residual heat warning and element in use lights
- powerful energy efficient elements for rapid heating and energy saving
- easy to clean hard wearing surface
- cooktop rating: 6.5 kW

ZNE4A



Ego cooktop white, black or stainless steel

- constant controlled temperature
- sealed elements prevent damage from spillage
- red spot elements achieve higher heat
- simmer stat elements allows better temperature control
- heavy-duty elements
- cooktop rating: 6.5 kW



ZNF4A



Four burner gas cooktop white, black or stainless steel

- 1 simmer; 2 medium & 1 rapid burner
- electronic individual ignition under each knob
- dishwasher safe trivets & burner caps
- easy clean, one piece cooktop
- removable knobs for ease of cleaning
- optional cast iron trivets
- cooktop rating: Natural Gas 26.5 MJ/h or LPG 27.0 MJ/h



ZNF4CTA



Four burner gas cooktop with wok white, black or stainless steel

- 1 triple wok, 2 rapid & 1 simmer burner
- electronic individual ignition under each knob
- dishwasher safe trivets & burner caps
- easy clean, one piece cooktop and removable knobs
- flame failure option available
- optional cast iron trivets
- cooktop rating: Natural Gas 29.2 MJ/h or LPG 28.1 MJ/h



ZNF2AS/ZNE2AS



Two burner gas or electric cooktop stainless steel

- slimline 30cm model
- one piece moulded top for easy clean
- removable knobs for ease of cleaning
- ZNF2AS – optional flame failure
- cooktop rating:
ZNF2AS – Natural Gas 16.7 MJ/h or LPG 17.1 MJ/h
ZNE2AS – 3.8 kW



VA02



Two burner ceran domino

stainless steel only

- slimline 30cm model
- easy to clean hard wearing surface
- bench saving design
- twin rapid response elements
- simmer control at low temperature
- powerful energy efficient elements for rapid heating and energy saving
- cooktop rating: 3.16 kW

EU730



Five burner gas cooktop with wok – 70cm model

- triple ring wok burner • cast Iron trivets optional
- classic front control panel • removable knobs for easy clean • dishwasher Safe trivets • easy one piece clean • flame failure optional • individual ignition under each knob • hi-grade stainless steel
- 10 AMP Plug for easy installation
- cooktop rating: Natural Gas 39.5 MJ/h or LPG 38.9 MJ/h



EU930-5



Five burner gas cooktop with wok – 90cm model

- triple ring wok burner • cast Iron trivets optional
- removable knobs for easy clean • dishwasher safe trivets and burner caps • easy clean one piece cooktop
- flame failure optional • individual ignition under each knob • hi-grade stainless steel
- 10 AMP Plug for easy installation
- cooktop rating: Natural Gas 39.5 MJ/h or LPG 38.9 MJ/h



EU930-6



Six burner gas cooktop with wok – 90cm model

- triple ring wok burner
- cast Iron trivets option available
- flame failure available
- individual ignition under each knob
- easy clean one piece cooktop and removable knobs
- cooktop rating: Natural Gas 43.1 MJ/h or LPG 42.5 MJ/h



Nobel underbench ovens

Distinguished design with exceptional functions



Combine professional performance, sleek European styling and versatility beyond any other, to give the discerning cook everything they need. Nobel ovens will surely add that extra stylish feature to any kitchen as well as producing the sensational results you expect from a European appliance.

EX595MLFT



Multifunction entertainer style oven – 90cm model

- large 90 litre capacity with cavity cooling system
- nine function multifunction oven
- rotisserie cooking, closed door grilling
- fully programmable electronic clock and timer
- removable glass window and door for easy cleaning
- oven rating: 3.2 kW



EX595 BM



Entertainer oven – 90cm model

- large 90 litre capacity
- nine function multifunction oven, manual timer
- removable glass window and door for easy cleaning
- cavity cooling system
- closed door grilling
- oven rating: 2.7 kW



NF60



60cm fan forced oven

white, black or stainless steel

- fan cooling cavity prevents damage to the cabinetry and comfort to controls
- closed door grilling and heat reducing shroud
- 120 minute cut out timer for end of cooking function
- non-tilt non-tip slideout shelves
- wide panorama double glazed viewing
- oven rating: 2.7 kW



NP60



60cm pluri-multifunction oven

white, black or stainless steel

- 5 functions including fan assisted and defrost light
- fan cooling cavity prevents damage to the cabinetry and comfort to controls and heat reducing shroud
- closed door grilling, non-tilt non-tip slideout shelves
- electronic programmable clock and timer
- wide panorama double glazed viewing
- oven rating: 2.7 kW



NM60



60cm programmable multifunction oven

white or stainless steel

- large 60 litre capacity extra deep design oven
- fan cooling cavity prevents damage to the cabinetry and comfort to controls
- closed door, fast grilling
- concealed bottom element
- programmable six button LED clock for set and forget cooking
- non-tilt non-tip slideout shelves
- wide panorama double glazed viewing
- heat reducing shroud
- oven rating: 2.7 kW



NPC60



60cm Colonial pluri-multifunction oven

white or black

- fan cooling cavity prevents damage to the cabinetry and comfort to controls
- closed door grilling and heat reducing shroud
- designer analogue clock
- non-tilt non-tip slideout shelves
- wide panorama double glazed viewing
- oven rating: 2.7 kW



NPD60



60cm one and a half oven

white or stainless steel

- one 60 litre purification oven
- one 30 litre static oven
- closed door grilling in both ovens
- three button LED clock with end of cooking function
- dedicated cavity cooling fan for extraction of cupboard heat
- heat reduction shroud for cooler front of oven doors
- removable inner door glass on both ovens for easy clean
- oven rating: 5.1 kW





Be Nobel


Nobel builders appliances

Appliances to suit all types of kitchens



Nobel has developed a range of quality appliances specifically for the building industry. Designed to suit any kitchen project you have on the go. Not only are these appliances modern stylish European design, but are affordable adding that extra stylish feature to any kitchen as well as producing the sensational results you expect.

NFB60



60cm fan forced oven stainless steel

- fan cooling cavity prevents damage to the cabinetry and comfort to controls
- closed door, fast grilling
- non-tilt non-tip slideout shelves
- double glazed viewing
- oven rating: 2.7 kW



E5960



60cm slideout rangehood

white, black or stainless steel

- 1 motor - 250m³/hr extraction rate
- 2 motors - 390m³/hr extraction rate
- 3 speed motor for optimum control
- dishwasher safe anti grease filter
- can be ducted (125mm)
- smooth & effortless slide out operation
- automatic fan & light operation
- optional carbon filter

ZNE4A-1



Ego cooktop white, black or stainless steel

- constant controlled temperature
- sealed elements prevent damage from spillage
- red spot elements achieve higher heat
- simmer stat elements allows better temperature control
- heavy-duty elements
- cooktop rating: 6.5 kW



ZNF4A-1




Four burner gas cooktop

white, black or stainless steel

- 1 simmer; 2 medium & 1 rapid burner
- electronic individual ignition under each knob
- dishwasher safe trivets & burner caps
- easy clean, one piece cooktop
- removable knobs for ease of cleaning
- optional cast iron trivets
- cooktop rating: Natural Gas 26.5 MJ/h or LPG 27.0 MJ/h



NCER



Ceramic cooktop – 60cm model

white, black or stainless steel

- 4 rapid response radiant elements
- residual heat warning and element in use lights
- powerful energy efficient elements for rapid heating and energy saving
- easy to clean hard wearing surface
- cooktop rating: 6.5 kW



Nobel rangehoods

Eliminate those unwanted cooking odours



To complement the cooktop you choose, Nobel has several stylish rangehood models. There is a choice of three-speed 600mm or 900mm, push button, retractable or canopy styles. Finishes include white, black or stainless steel.

KO9



Designer canopy – 60/90cm model stainless steel only

- hi-grade stainless steel finish
- powerful tangential 3 speed condenser motor
- dishwasher safe anti grease filters
- recirculated or ducted (125mm Ducting)
- extraction rate – 750m³ per hour
- push button control with twin halogen lamps
- 49 DBA on medium speed
- optional premium filter upgrade available

H11



Recirculated and ducted white, black or stainless steel

- fixed slim line 60cm
- 3 speed motor for optimum control
- extraction rate 250m³/hr
- dishwasher safe grill mesh
- recirculated or ducted (125mm ducting)
- 45 DBA on medium speed
- optional carbon filter

P13



Recirculated and ducted – 60cm model white, black or stainless steel

- fixed bullnose 60cm
- 3 speed motor for optimum control
- extraction rate 250m³/hr
- dishwasher safe grill mesh
- recirculated or ducted (125mm ducting)
- 45 DBA on medium speed
- optional carbon filter

FH8860



Stainless steel canopy – 60cm model stainless steel only

- powerful tangential 3 speed motor
- easy to operate front push button operation
- incandescent lighting
- dishwasher safe anti-grease filters
- can be recirculated or ducted (125mm)
- extraction rate 550m³/hr
- 49 DBA on medium speed
- optional premium filter upgrade available

FH8890



Stainless steel canopy – 90cm model stainless steel only

- powerful tangential 3 speed motor
- easy to operate front push button operation
- incandescent lighting
- dishwasher safe anti-grease filters
- can be recirculated or ducted (125mm)
- extraction rate 550m³/hr
- 49 DBA on medium speed
- optional premium filter upgrade available

K11 Shelf



Stainless steel shelf – 60 & 90cm models stainless steel only

- 60cm - 250m³ extraction rate
- 90cm - 250m³ extraction rate
- recirculated or ducted (125mm ducting)
- dishwasher safe anti grease filters
- 3 speed slider controls
- shelf design for additional storage space
- great replacement model for older fixed rangehoods
- 45 DBA on medium speed

K11 Pyramid



Stainless steel pyramid style
– 60 & 90cm models stainless steel only

- 60cm - 250m³ extraction rate
- 90cm - 250m³ extraction rate
- recirculated or ducted (125mm ducting)
- dishwasher safe anti grease filters
- 3 speed slider controls
- pyramid design to give canopy effect
- great replacement model for older fixed rangehoods
- 45 DBA on medium speed

S72



Telescopic rangehood stainless steel only

- extraction rate 250m³/hr
- fully recirculating
- can be switched to normal air flow through extraction
- dishwasher safe anti grease filter
- smooth & effortless slide out operation

E5960



60cm slideout rangehood
white, black or stainless steel

- 1 motor - 250m³/hr extraction rate
- 2 motors - 390m³/hr extraction rate
- 3 speed motor for optimum control
- dishwasher safe anti grease filter
- can be ducted (125mm)
- smooth & effortless slide out operation
- automatic fan & light operation
- optional carbon filter

E5990



90cm slideout rangehood
white, black or stainless steel

- 1 motor - 250m³/hr extraction rate
- 2 motors - 390m³/hr extraction rate
- slimline telescopic rangehood
- steel mesh, dishwasher safe, external filters
- smooth & effortless slide out operation
- automatic fan & light operation
- optional carbon filter

H41



Concealed rangehood
– 60 & 90cm models stainless steel only

- twin motors
- 390m³/hr extraction rate
- dishwasher safe anti grease filters
- 3 speed slider controls for that hidden effect
- 45 DBA on medium speed

K44



Stainless steel canopy
– 60 & 90cm models stainless steel only

- 500m³/hr extraction rate
- 49 DBA on medium speed
- dishwasher safe anti grease filters
- easy to operate push button
- recirculated or ducted (125mm ducting)
- modern curved design with twin halogen lamps
- latest innovative Italian designed and manufactured
- optional premium filter upgrade available

K54 Island



Stainless steel island rangehood
– 90cm model stainless steel only

- 750m³/hr extraction rate
- 49 DBA on medium speed
- dishwasher safe anti grease filters
- easy to operate push button
- twin halogen lamps
- optional premium filter upgrade available
- latest innovative Italian designed and manufactured

K30 Alfresco



Indoor/outdoor canopy
– 90 & 120cm models high grade stainless steel

- 90cm - 1000m³/hr extraction rate
- 120cm - 1500m³/hr extraction rate
- dishwasher safe anti grease filters
- 49 DBA on medium speed
- modern push button control with twin halogen lamps
- comes standard with alloy fans
- optional premium filter upgrade available
- ideal for indoor and outdoor use (subject to local regulations)



Nobel dishwashers

Cleaning is only one feature



Nobel dishwashers are not just designed for style and performance alone. They are produced with the customer in mind. For example, an adjustable top shelf has been implemented to cater for those larger dinner items as well as a clever fold-down cup rack that securely holds long stemmed wine glasses. Choose from a range of programmes.

NBFSDSISS



60cm semi-integrated dishwasher stainless steel

- 12 place setting, 7 wash programs
- semi-integrated
- height adjustable top rack
- stainless steel filtration system
- overflow protection
- 2.5 star energy rating, 1.5 star water rating
- 18.6 litre water consumption per normal wash cycle
- 850mm H x 600mm W x 600mm D

NBFSDECSS



60cm electronic dishwasher stainless steel

- 14 place setting, 7 wash programs
- height adjustable top rack
- stainless steel filtration system
- load wash cycle and delayed start
- electronic display
- concealed heating element, overflow protection
- 2.5 star energy rating, 3.0 star water rating
- 16.1 litre water consumption per normal wash cycle
- 850mm H x 600mm W x 600mm D

NBFSDEMSS



Nobel's exclusive flat look 60cm dishwasher stainless steel

- 12 place setting
- 7 wash programs
- height adjustable top rack
- stainless steel filtration system
- overflow protection
- 2.5 star energy rating, 1.5 star water rating
- 18.6 litre water consumption per normal wash cycle
- 850mm H x 600mm W x 580mm D

NBFSW



White 60cm dishwasher

- 12 place setting
- 7 wash programs
- height adjustable top rack
- stainless steel filtration system
- overflow protection
- 2.5 star energy rating
- 1.5 star water rating
- 18.6 litre water consumption per normal wash cycle
- 850mm H x 600mm W x 580mm D

NBFS45SS



Nobel 45cm dishwasher stainless steel

- 8 place setting
- 7 wash programs
- height adjustable top rack
- stainless steel filtration system
- overflow protection
- 1.0 star energy rating
- 1.5 star water rating
- 13.7 litre water consumption per normal wash cycle
- 850mm H x 450mm W x 580mm D

NBFS45W



Nobel 45cm dishwasher white

- 8 place setting
- 7 wash programs
- height adjustable top rack
- stainless steel filtration system
- overflow protection
- 1.0 star energy rating
- 1.5 star water rating
- 13.7 litre water consumption per normal wash cycle
- 850mm H x 450mm W x 580mm D

Nobel accessories

Extras to enhance the function and style of your appliances



Stainless steel splashback

- to suit both 60cm and 90cm model cooktops or free standing ovens





























Wok support trivet

Catalytic liner for 60cm oven

Premium Filters

Rangehood vent duct kit




Nobel key features

	Low maintenance stainless steel finish 18/10 Stainless steel finishes prevent heavy finger marks. Simply wipe away with a damp cloth. A breakthrough, eliminating labour intensive maintenance.
	Easy removable racking With the easy removable side racking and the smooth interior, cleaning is much easier no longer a difficult chore.
	Easy slide rails The ovens are fitted with rails, allowing easy access to your cooking, with the safety of not tilting your dish. Also makes cleaning a breeze.
	Large oven cavity Nobel ovens are one of the largest European ovens available, providing space for the big Aussie roast.
	Cavity cooling system Nobel's cavity cooling system significantly reduces the exterior heat from the door and cavity around the oven, giving protection to your valuable kitchen cabinetry also allowing the control panel to be comfortable to touch.
	Flame failure system For peace-of-mind. When your flame goes out the gas is automatically turned off, preventing wasted gases roaming within your home.
	One-piece cooktop With the special designed moulded tops, unplanned spillage's become an ease to clean. No more food gets in to the joints.
	Cast iron trivets Finish your hob with the long lasting commercial grade cast iron trivets.
60cm & 90cm freestanding oven functions	
	Oven light When you turn the control knob to this position, the light will be on for all the following operations.
	Defrosting with fan The air at ambient temperature is distributed inside the oven for defrosting food very quickly and without proteins adulterations. The thermostat knob must be placed on the maximum position.
	Natural convection Both the lower and upper heating elements operate together. This is the traditional cooking, ideal for roasting joints, biscuits, baked apples and crisping food. Very good results are obtained when cooking on a shelf, adjusting the temperature between 60 and MAX °C.
	Browning by top element cooking When you turn the control knob to this position, the top peripheral element is turned on that distributes heat directly onto the food. This function is particularly suited for delicately browning the top of food or for toasting bread.
	Base element cooking When you turn the control knob to this position, the bottom element is turned on that distributes heat from below the food.
	Fan Oven Both the fan and the circular heating element operate together. Adjustable between 60 and MAX°C, the hot air is evenly distributed inside the oven. This is ideal for cooking several types of food (meat, fish) at the same time without affecting the taste and smell.
	Medium grill It is indicated for grilling and gratinating small quantities of tradition food. The thermostat knob must be placed on the maximum position.
	Total grill It is indicated for grilling and gratinating traditional food. Turn the thermostat control knob to the 200°C position.
	Fan assisted total grill The air is heated by the grill-heating element and circulated by the fan, distributing heat on the food. The fan assisted grill replaces the turnspit. Very good results can be obtained with large quantities of poultry, sausage, Red meat. Turn the thermostat control knob to the 200°C position.
	Air forced lower heating element The air is heated by the lower heating element and circulated by the fan, distributing heat over the food. This function can be used between 60 and MAX °C and is ideal to sterilise food.
60cm/90cm oven functions	
	Oven light When you turn the control knob to this position, the light will be on for all the following operations.
	Traditional convection cooking The upper and lower heating elements are switched on. The heat is diffused by natural convection and the temperature must be regulated between 50°C and 250°C with the thermostat knob. It is necessary to preheat the oven before introducing the foods to be cooked. Recommended for foods that require the same cooking temperature, both internally and externally (roasts, spare ribs, meringue).
	Browning by top element cooking When you turn the control knob to this position, the top peripheral element is turned on that distributes heat directly onto the food. This function is particularly suited for delicately browning the top of food or for toasting bread.
	Base element cooking When you turn the control knob to this position, the bottom element is turned on that distributes heat from below the food.
	Grilling The infrared heating element is switched on. The heat is diffused by radiation. Use with the oven door closed and the thermostat knob to position 200°C max.
	Defrosting frozen foods Only the oven fan is on. To be used with the thermostat knob on as the other positions have no effect. The defrosting is done by simple ventilation without heat. Recommend for rapid defrosting of frozen foods (1 kilogram requires about one hour). The defrosting times may vary according to the quantity and type of foods to be defrosted.
	Hot air cooking The circular element and the fan are on. The heat is diffused by forced convection and the temperature must be regulated between 50°C and 250°C with the thermostat knob. It is not necessary to preheat the oven. Recommend for foods that must be well done on the outside and tender within (lamb, roast beef, whole fish, etc).
	Ventilated grill cooking The infrared grill and the fan are on. The heat is mainly diffused by radiation and the fan then distributes it throughout the oven. The temperature must be regulated between 50°C and 175°C with the thermostat knob. It is necessary to preheat the oven for about 5 minutes. Grilling with the door closed. It is recommended that you do not grill for longer than 30 minutes at any one time. Recommended for grill cooking, when fast outside browning is necessary to keep the juices in (veal steak, steak, hamburger, etc).
	Maintaining temperature after cooking or slowly heating foods The upper element and the circular element connected in series are switched on as well as the fan. The heat is diffused by forced convection with the most part being produced by the upper element. The temperature must be regulated between 50°C and 150°C with the thermostat knob.
	Convention cooking with ventilation The upper and lower heating elements and the fan are turned on. The heat coming from the top and bottom is diffused by forced convection. The temperature must be regulated between 50°C and 250°C with the thermostat knob. Recommended for foods of large volume and quantity which require the same internal and external degree of cooking (rolled roasts, turkey, legs, cakes, etc).


Nobel dimensions

Designed to fit comfortably in your kitchen

Freestanding




Ovens




NC6o, NPC6o, NP6o, NF6o, NM6o


Installation Method	Cutout Dimensions*		
	H	W	D
Flush Mount	594	594	570 min
Proud Mount	585	560	550 min




6o & 9o cm Freestanding splashbacks





NFB6o



NPD6o




Dishwashers




Cooktops


EU93o-5&6 burner




EU73o




ZNF4A, ZNE4A, ZNF4CTA



NCER




ZNF2AS, ZNE2AS, VAo2




Rangehoods


H41




E5990 Slide-out




E5960 Slide-out




K11 Shelf 60/90cm




S72




K11 Pyramid 60/90cm




H11 iM 60



P13




K30




DISCLAIMER

Please note that measurements and model appearances may change at any time. Nobel reserve the right to change specifications with out notice. All dimensions on these pages are in millimetres and the illustrations are intended as a guide only. Complete instructions are enclosed with the appliance.


K54 Island



K09 60/90cm Canopy



K44



FH88 60/90cm Canopy

