

### Lifestyle Patio door system







# **Corinthian Lifestyle Patio door system** bringing the outside in



Our aim is to provide solutions that improve your lifestyle. It is a wonderful option to be able to separate your living area from the world outside. Your Lifestyle Patio doors can be partially or fully opened to allow the light and space to flood in. The new Lifestyle Patio door system by Corinthian is the ultimate in exterior folding door systems that eclipses all. It is acknowledged that the majority of Australian homes are built near the coast, so maximum strength and high corrosion resistance has been essential when selecting the materials used for manufacture.

The manufacturer certifies that this product was designed to conform with AS 2047. The design performance has been verified by a NATA accredited test laboratory.

DESIGN PERFORMANCE 1000 Pa, N3 Structural Water Resistance 200 Pa

### **BENEFITS**

- Performance tested to the most demanding configuration -3+1 bi-folding doors.
- Using the highest standard materials and Enviro-seal<sup>™</sup> technology, this product will ensure years of trouble-free operation and weather protection.
- Sills are manufactured from hardwood to give the richness and durability of timber with the added benefit of a concealed channel.
- Frame and doors are manufactured from select premium timber for staining or painting.
- Doors are double sealed to ensure maximum weather protection.

- Doors are site glazed with clear glass to conform to AS 1288 (2006).
- Hardware supplied is high quality stainless steel and is available in three finishes: polished stainless, satin stainless and titanium gold.
- Lockable bottom flush bolts to ensure extra security.
- Frame head incorporates a timber lintel to maximise straightness and efficiency of the tracking system.
- An installation brochure is supplied with the product to ensure correct operation of your Lifestyle Patio door system.







built-in









## Lifestyle Patio door system

Technical Specifications for Lifestyle Patio door system		All units are viewed from the outside.		
Max leaf height	2400mm	All doors open to the outside.		
Max leaf weight	45kg	The door configurations as shown can be reversed if required.		
Max leaf width	900mm	Door locks are not supplied or fitted.		
Leaf thickness	40mm	Special sizes and species of timber are available on application.		

### 3 leaf systems

3 leaf systems				
	door leaf	582mm		
	frame width	1822mm		
	frame heights	2105 & 2405mm		
	configurations	21183L0R	21182L1R	
	door leaf	609mm		
		698mm		
	frame width	2170mm		
	frame heights	2105 & 2405mm		
	configurations	21213LOR	21212L1R	
	door leaf	778mm		
	frame width	2410mm		
	frame heights	2105 & 2405mm		
	configurations	21243L0R	21242L1R	
4 leaf systems		~ ~		
		500		
	door leaf frame width	582mm 2410mm		
	frame heights	2105 & 2405mm	04040105	
	configurations	21244LOR	21242L2R	21243L1R
	door leaf	652mm		
	frame width	2690mm		
	frame heights	2105 & 2405mm		
	configurations	21264L0R	21262L2R	21263L1R
	door leaf	698mm		
	frame width	2871mm		
	frame heights	2105 & 2405mm		
	configurations	21284L0R	21282L2R	21283L1R
		$\vee$ $\vee$		
	door leaf	778mm		
	frame width	3191mm		
	frame heights	2105 & 2405mm		
	configurations	21314LOR	21312L2R	21313L1R
				$\sim$ $\sim$
		$\sim$	$\sim$ $\sim$	



#### 5 leaf systems





#### Call Corinthian for your nearest stockist

Sydney Showroom: St Marys, 17-35 Lee Holm Road. (02) 9673 7100. Melbourne Showroom: Dandenong, 6 Healey Road. (03) 9794 1122. Brisbane Showroom: Acacia Ridge, 16 Colebard Street East. (07) 3715 0100. Adelaide Showroom: Regency Park, 38 Birralee Road. (08) 8243 0888. Perth Showroom: Canning Vale, 32 Coulson Way. (08) 9455 1333.

Website www.doors.com.au



