

NOVER
first by choice



Akril Panel is an innovative alternative to coated glass products. Supplied in a sheet form and in standard sizes, Akрил panel offers you the unique appearance of glass without the inherent obstacles associated with the supply and installation of glass.

As an off the shelf product, Akрил Panel is the perfect product for any vertical wet area, including showers, laundries, kitchen doors and walls and any area in the home or office area where direct heat will not be applied.



akril™ panel



akril™ COLOURS




Arctic Breeze



Flamingo



Green Mist



Lemon Grass

Colours used here are a guide only. Actual colour of product may vary slightly from illustrations above. Please contact your Nover representative for a colour sample.

akril panel colours

ref.	colour	size
265000	Arctic Breeze	2440 x 1220 x 6 mm
265001	Flamingo	2440 x 1220 x 6 mm
265002	Green Mist	2440 x 1220 x 6 mm
265003	Lemon Grass	2440 x 1220 x 6 mm
265004	Magnolia	2440 x 1220 x 6 mm
265005	Mushroom	2440 x 1220 x 6 mm
265006	Sterling Silver	2440 x 1220 x 6 mm
265007	Winter Storm	2440 x 1220 x 6 mm

akril panel sizes and thicknesses

Akril Panel is available in three sheet sizes and two thicknesses of 4mm and 6mm.

2440 x 1220 x 6	*2440 x 1220 x 4
*2000 x 1000 x 6	*2000 x 1000 x 4
*3050 x 1025 x 6	*3050 x 1025 x 4

*Available to order

general maintenance

cleaning do's

- Wash with mild soap or detergent, with plenty of warm water
- Dry with soft cloth or chamois
- Grease, oil or tar can be removed with Hexane or Kerosene
- Solvent residue should be removed by washing immediately.
- Ajax Spray and Wipe Lemon Citrus

cleaning dont's

- Do not use window cleaning sprays
- Do not use scouring compounds
- Do not use the following: Chloroform, acetone, benzene, toluene, xylene, dichloromethane, ethyl acetate, butyl acetate, amyl acetate, glacial acetate acid.
- Do not use steel wool
- Avoid using harsh scrubbing brushes

akrilTECHNICAL



technical data

cutting

Cutting and drilling is easily achieved by using similar methods to cutting soft metals such as aluminium or plastics. Cutting is achieved with such tools as a circular saw, band saw, jig saw or router.

Blade Outer diameter	255 ~ 305 mm
Number of Teeth	80 ~ 100
Tooth Thickness	3.0 ~ 3.5 mm
Angle of Relief	15 ~ 20
Hook Angle	15 ~ 20
Angle of Setting Band	2 ~ 3
Revolution	3000 ~ 5000 rpm
Feeding Speed	3 ~ 6 mtr / min

drilling


A Drill Press or Electrical Drill may be used. A standard metal or wood drill will cut into the AKRIL PANEL very quickly and may cause damage through cracking or splitting. You will need to modify the tooth edge of the drill bit by grinding the tip angle to increase its size (flatten) so that the material is scraped away rather than cut, a commercially available plastic drill bit or a blunt drill bit may be acceptable.

adhesives

When installing Akрил Panel ensure the usage of a high quality neutral cure glass and glazing silicone, inferior products may affect the specialised coating if incorrectly used. A product such as Rhodoril V60 neutral cure silicone would be the ideal adhesive. When installing any panels to wet areas a parameter silicone seal is required to stop any water or moisture affecting the specialised coating.

surface restoration

Sanding: Depending on the severity of the scratch, a fine surface abrasion or scratch may simply polish out where a deep etched scratch will require a more involved process.




Magnolia



Mushroom



Sterling Silver



Winter Storm

akrilCOLOURS

www.nover.com.au



HEAD OFFICE

Nover & Co Pty Limited
19 Wonderland Drive, Eastern Creek NSW 2766
Locked Bag 90, Wetherill Park Business Centre NSW 1851
Phone: 1300 668 371
Fax: 1300 668 372



**BRANCHES:
NEW SOUTH WALES**

**EASTERN CREEK,
QUEANBEYAN & ACT**

19 Wonderland Drive,
Eastern Creek
NSW 2766
Phone: 1300 668 371
Fax: 1300 668 372

CENTRAL COAST

30 Ace Crescent,
Tuggerah NSW 2259
Phone: (02) 4351 2444
Fax: (02) 4351 2455

NEWCASTLE

93 Munibung Road,
Cardiff NSW 2285
Phone: (02) 4956 6626
Fax: (02) 4956 6619

ORANGE

38 Leewood Drive,
Orange NSW 2800
Phone: (02) 6362 9666
Fax: (02) 6361 4513

PORT MACQUARIE

40 Jindalee Road,
Port Macquarie
NSW 2444
Phone: (02) 6581 2202
Fax: (02) 6581 2220

WAGGA WAGGA

8 Rabaul Place,
Wagga Wagga
NSW 2650
Phone: (02) 6925 3900
Fax: (02) 6925 3937

WOLLONGONG

3 Lady Penryhn Drive,
Unanderra NSW 2526
Phone: (02) 4271 3266
Fax: (02) 4271 7800

**BRANCHES:
QUEENSLAND**

LOGANHOLME

13-15 Babbdoyle Street,
Loganholme QLD 4129
Phone: (07) 3801 4508
Fax: (07) 3801 4542

BUNDABERG

8 Campbell Street,
Bundaberg QLD 4670
Phone: (07) 4151 6430
Fax: (07) 4153 4713

VIRGINIA

25 Shannon Place,
Virginia QLD 4014
Phone: (07) 3632 1900
Fax: (07) 3632 1999

GOLD COAST

2/32 Lawrence Drive,
Nerang QLD 4211
Phone: (07) 5596 3800
Fax: (07) 5596 3877

SUNSHINE COAST

22 Hi-Tech Drive,
Kunda Park QLD 4556
Phone: (07) 5456 4322
Fax: (07) 5456 4323

TOWNSVILLE

1/33 Hugh Ryan Drive,
Garbutt QLD 4814
Phone: (07) 4775 3500
Fax: (07) 4779 3390

**BRANCHES:
VICTORIA**

BAYSWATER

30 Jersey Road,
Bayswater VIC 3153
Phone: (03) 9729 0666
Fax: (03) 9720 5175