



Showers, Taps and Flow Restrictors

- Methven Showerheads
- FLEXISPRAY Tapware
- Water Wizz Flow Restrictors
- Architectural Shower Drains



METHVEN Satinjet Futura Rail Shower **3 Star 9 L/min**

Using advanced computer modelling, the design of SatinJet™ allows multiple pairs of fine water jets on the shower head to be precisely arranged and directed at each other in a continuous controlled collision that generates a wide dispersed spray. This provides not just a new shower but a completely new shower experience.

Gentle and invigorating, SatinJet™ showers use significantly less water than conventional showers to produce the perfect combination of a soft, intense, luxurious spray.

In the morning a SatinJet™ shower invigorates, energises and awakens, helping to prepare you for the day ahead, while in the evening the silk-like feel of SatinJet™ embraces your body, to sooth, relax and wash away stress.



METHVAN Satinjet Futura Hand Shower on WOB **3 Star 9 L/min**

The new Futura Hand Shower with Satinjet® technology. No drilling of tiles required to install.

FastFlow Technology

Methven's unique patented fastflow technology provides the simple solution to unequal hot and cold water pressure.

Ceramic Discs

Ceramic Discs replace conventional washers and are the permanent solution to dripping taps

Ceramic Cartridge Temperature & Flow Adjustable

Ceramic cartridges are the solution to dripping taps in single lever tapware. This cartridge allows you to personally set the temperature as well as the flow - ideal for areas where water is limited.

METHVEN Satinjet Futura Hi Rise Shower 3 Star 9 L/min

So to be available in the Futura Range, the Wall Shower on Upswept Arm with Satinjet Twin -jet technology.

FastFlow Technology

Methven's unique patented fastflow technology provides the simple solution to unequal hot and cold water pressure.

Ceramic Discs

Ceramic Discs replace conventional washers and are the permanent solution to dripping taps

Ceramic Cartridge Temperature & Flow Adjustable

Ceramic cartridges are the solution to dripping taps in single lever tapware. This cartridge allows you to personally set the temperature as well as the flow - ideal for areas where water is limited.

METHVEN Satinjet Futura Wall Shower Design Arm 3 Star 9 L/min

Satinjet Futura Wall Shower on Designer Arm

FastFlow Technology

Methven's unique patented fastflow technology provides the simple solution to unequal hot and cold water pressure.

Ceramic Discs

Ceramic Discs replace conventional washers and are the permanent solution to dripping taps

Ceramic Cartridge Temperature & Flow Adjustable

Ceramic cartridges are the solution to dripping taps in single lever tapware. This cartridge allows you to personally set the temperature as well as the flow - ideal for areas where water is limited.



METHVEN Satinjet Futura Upswept Arm Shower 3 Star 9 L/min

Satinjet Futura Wall Shower Only
(does not come with arm displayed)

FastFlow Technology

Methven's unique patented fastflow technology provides the simple solution to unequal hot and cold water pressure.

Ceramic Discs

Ceramic Discs replace conventional washers and are the permanent solution to dripping taps

Ceramic Cartridge Temperature & Flow Adjustable

Ceramic cartridges are the solution to dripping taps in single lever tapware. This cartridge allows you to personally set the temperature as well as the flow - ideal for areas where water is limited.



METHVEN 3 star Cascade 3F Hi-Rise Shower

Cascade Hi Rise

Colour Range:

- Chrome
- White



METHVEN 3 star Cascade 3F Hand Shower

Cascade 3 Handshower on Wall Outlet Bracket

Colour Range:

- Chrome
- White



METHVEN 3 star Cascade 3F Rail Shower

Features:

- '3 star' rated water saving shower
- Attractive 18mm rail
- Height Adjustable, easy to use twist style slider
- 3 function, adjustable spray handset
- Easy to rub clean face, to prevent calcium build-up
- Includes handy soap dish

Configurations available:

- Railshower
- Handshower on Wall Outlet Bracket
- Wall Shower on Deluxe Flanged Arm
- Hi Rise

Colour Range:

- Chrome

Flexispray Echo Strata Basin Mixer

Colour Range: Chrome

- 15 years cartridge replacement guarantee
- 5 year parts and labour warranty
- 40mm ceramic disc cartridge
- Suitable for mains pressure installations
- Includes stainless steel flexible hoses- 1/2" BSP female
- Cast fixed spout with aerator
- Twin stud mounting kit
- Solid handle
- Recommended operating pressures 150kPa - 500kPa (max - 1000kPa)
- Maximum temperature - 65°C
- WELS 3 star, 9L p/min



Flexispray Echo Strata Shower Mixer

- 15 years cartridge replacement guarantee
- 5 year parts and labour warranty
- 40mm ceramic disc cartridge
- Suitable for mains pressure installations
- Incorporates brass feet for ease of mounting
- Solid handle
- Recommended operating pressures 150kPa - 500kPa (max - 1000kPa)
- Maximum temperature - 65°C
- WELS rating not required

Colour Range:
Chrome



Flexispray Echo Strata Shower Mixer & Diverter

- 15 years cartridge replacement guarantee
- 5 year parts and labour warranty
- 40mm ceramic disc cartridge
- Suitable for mains pressure installations
- 2 position diverter switch
- Incorporates brass feet for ease of mounting
- Solid handle
- Recommended operating pressures 150kPa - 500kPa (max - 1000kPa)
- Maximum temperature - 65°C
- WELS rating not required

Colour Range:
Chrome



Flexispray Echo Strata Sink Mixer

Colour Range:
Chrome

- 15 years cartridge replacement guarantee
- 5 year parts and labour warranty
- 40mm ceramic disc cartridge
- Suitable for mains pressure installations
- Includes stainless steel flexible hoses- 1/2" BSP female
- Tubula swivel spout fitted with aerator
- Twin stud mounting kit



- Recommended operating pressures 150kPa - 500kPa (max - 1000kPa)
- Maximum temperature - 65°C
- WELS 3 star, 9L p/min

Flexispray Echo Circa Veggie Spray Mixer

Colour Range:
Chrome

- 15 year parts and labour warranty
- 40mm ceramic disc cartridge
- 2 function pull out spray head with stainless steel flexible hose
- Suitable for mains pressure installations
- Includes stainless steel flexible inlet hoses- 1/2" BSP female
- Integral non-return valve prevents cross feeding and backflow
- Not suitable for commercial applications



- Recommended operating pressures 150kPa - 500kPa (max - 1000kPa)
- Maximum temperature - 80°C
- WELS 3 star, 9L p/min

Flexispray Echo Circa Basin Mixer

Colour Range: Chrome

- 15 years cartridge replacement guarantee
- 5 year parts and labour warranty
- 40mm ceramic disc cartridge
- Suitable for mains pressure installations
- Includes stainless steel flexible hoses- 1/2" BSP female
- Cast fixed spout with aerator
- Twin stud mounting kit
- Loop handle
- Recommended operating pressures 150kPa - 500kPa (max - 1000kPa)
- Maximum temperature - 65°C
- WELS 3 star, 9L p/min



Echo Circa Shower Mixer

- 15 years cartridge replacement guarantee
- 5 year parts and labour warranty
- 40mm ceramic disc cartridge
- Suitable for mains pressure installations
- Incorporates brass feet for ease of mounting
- Loop handle
- Recommended operating pressures 150kPa - 500kPa (max - 1000kPa) • Maximum temperature - 65°C
- WELS rating not required

Colour Range:
Chrome



Echo Circa Shower Mixer with Diverter

- 15 years cartridge replacement guarantee
- 5 year parts and labour warranty
- 40mm ceramic disc cartridge
- Suitable for mains pressure installations
- 2 position diverter switch
- Incorporates brass feet for ease of mounting
- Loop handle
- Recommended operating pressures 150kPa - 500kPa (max - 1000kPa)
- Maximum temperature - 65°C
- WELS rating not required

Colour Range:
Chrome



Echo Circa Sink Mixer

Colour Range: Chrome

- 15 years cartridge replacement guarantee
- 5 year parts and labour warranty
- 40mm ceramic disc cartridge
- Suitable for mains pressure installations
- Includes stainless steel flexible hoses- 1/2" BSP female
- Tubula swivel spout fitted with aerator
- Twin stud mounting kit
- Recommended operating pressures 150kPa - 500kPa (max - 1000kPa)
- Maximum temperature - 65°C
- WELS 3 star, 9L p/min



Echo Strata Vegie Shower Mixer

Colour Range: Chrome

- 15 year parts and labour warranty
- 40mm ceramic disc cartridge
- 2 function pull out spray head with stainless steel flexible hose
- Suitable for mains pressure installations
- Includes stainless steel flexible inlet hoses- 1/2" BSP female
- Integral non-return valve prevents cross feeding and backflow
- Not suitable for commercial applications
- Recommended operating pressures 150kPa - 500kPa (max - 1000kPa)
- Maximum temperature - 80°C
- WELS 3 star, 9L p/min





WATER WIZZ Toilet Water Saver

DESCRIPTION

Every day millions of litres of fresh drinking water is literally flushed down the drain by inefficient older style single flush toilet cisterns.

The Toilet Water Saver is designed to give you control over the duration of the flush and can be fitted in minutes. This simple device can potentially save up to 30,000 litres per year in an average 4 person home.

OPERATION

The Toilet Water Saver simply fits into the open overflow of single flush toilet systems causing the toilet to only flush whilst the flush button or lever is held down.

PRODUCT CODES

TWSB.01 Toilet Water Saver



Water Wizz Sink Swish

Our water saving sink swish switches from an aerated stream to a spray with a simple push. The sink swish has a built in water saver rated at 9 litres per minute.

Available in:

9 Litre per minute flow rate



Quick Fix Water Wizz Aerator Installation Tool

Aerator Installation/Removal Tool

The Aerator Service Tool is designed to fit most existing tap aerators. It makes the removal and installation of tap aerators a breeze and also protects the aerator body from damage that can occur when using regular multi grips for this purpose.

Operation:

Simply slip the correctly sized end of the aerator removal tool over the aerator body and turn.



Water Wizz D.I.Y. home saving kit

D.I.Y. home saving kit

This complete home kit contains three aerators for use in L'dry and Kitchen and Basin (6 Lpm) taps and an inline flow controller for your shower, it's everything you need to start saving your water and money!

Water Wizz Inline Flow Controllers

Connected to existing taps and shower heads and hand held showers, these controllers can be connected between the outlet and the supply pipe.

Available in:

2 Litre per minute flow rate

4 Litre per minute flow rate

6 Litre per minute flow rate

9 Litre per minute flow rate

4 Litre per minute flow rate



Water Wizz Dishwasher/Washing Machine Flood Stop Valve

A burst hose from a washing machine or dishwasher could flood your home with over 10,000 litres of water in just 6 hours. The damage this volume of water would cause would be devastating. Our Flood Stop Valve is designed to prevent flooding by instantly shutting off the water flow in the event of a burst hose or hose connection failure.

Operation

The Water Wizz Flood Stop Valve contains a flow sensing cartridge. This cartridge is calibrated to allow water flow to pass through to an appliance at a normal rate. In the event of a burst hose or hose connection failure the water flow through the flood stop valve will suddenly increase causing the valve to close and instantly shut off to prevent flooding. Water Wizz Flood Stop Valves can be reset by simply unscrewing the Flood Stop Valve anti clockwise until it "clicks" and then screwing back onto the tap.

Application

Water Wizz Flood Stop Valves are designed for use on front loading washing machines and dishwashers. THEY ARE NOT SUITABLE FOR USE ON TOP LOADING WASHING MACHINES.





Water Wizz Flow Control Discs 10 pack

Flow control discs

Our water flow control discs can be fitted to existing taps ware and showerheads without effecting your water pressure. Installing a flow controller can save up to 72% of water usage.

Available in:

- 6 Litre per minute flow rate
- 9 Litre per minute flow rate
- 12 Litre per minute flow rate



Water Wizz Flow Control Discs 2 pack

Flow control discs

Our water flow control discs can be fitted to existing taps ware and showerheads without effecting your water pressure. Installing a flow controller can save up to 72% of water usage.

Available in:

- 6 Litre per minute flow rate
- 9 Litre per minute flow rate
- 12 Litre per minute flow rate



Water Wizz Water Saving Aerators Male

Water saving aerators - Male

Aerators can be installed to your existing taps reducing flow rates from 18-28 litres a minute to 4,6 or 8 litres per minute. As well as improving water usage, pressure and oxygenating the water from your tap

Available in:

4 Litre per minute flow rate

6 Litre per minute flow rate

8 Litre per minute flow rate



Water Wizz Water Saving Aerators Female

Water saving aerators - Female

Aerators can be installed to your existing taps reducing flow rates from 18-28 litres a minute to 4,6 or 8 litres per minute. As well as improving water usage, pressure and oxygenating the water from your tap

Available in:

4 Litre per minute flow rate

6 Litre per minute flow rate

8 Litre per minute flow rate



Water Wizz Water Saving Aerators Male Vandal Proof

Vandal Proof Water saving aerators - Male

Designed for commercial applications where they might be stolen; these aerators have the same functionality and are just as easy to install but with the added bonus of being safe from theft.

Available in:

- 4 Litre per minute flow rate
- 6 Litre per minute flow rate
- 8 Litre per minute flow rate



Water Wizz Water Saving Aerators Female Vandal Proof

Vandal Proof Water saving aerators - Female

Designed for commercial applications where they might be stolen; these aerators have the same functionality and are just as easy to install but with the added bonus of being safe from theft.

Available in:

- 4 Litre per minute flow rate
- 6 Litre per minute flow rate
- 8 Litre per minute flow rate



Easy Fit Spartan Shower Drains

These attractive surface mount shower drains fit along the length of your shower base, making tiling the shower much easier and cheaper! They also look great, and are easily installed and cleaned. They come in a variety of lengths to suit all standard showers, and the internal drain outlet positioned in the centre or either end.

- Fast Installation (1 simple fall on the shower surface means a much simpler tiling job, and huge savings!)
- Adjustable
- All Applications
- Easy to Clean
- Attractive

Left, right and centre outlets available in these sizes:

- 800mm
- 900mm
- 1100mm
- 1200mm
- 1400mm
- 1500mm
- 1800mm

Contact Us

P (03) 9431 0006

M 04 3050 5572

F (03) 9431 0046

E enter-shop@bigpond.com

W www.enter-shop.com.au

Address

Showroom and Warehouse

Units 2-3/38 Bridge St Eltham Vic 3095

Open 9-5 Weekdays, 9-1 Sat.