



Sheds & Outdoor Structures

**WIN
a Shed**
Visit www.absco.com.au
to find out how
* Conditions apply

- Garden Sheds • Workshops • Garages • Carports
- Patio Covers • Aviaries



ABSCO SHEDS
Easy to Assemble

Proudly Australian Made and Owned
www.absco.com.au

The SNAP-TITE Revolution

An innovative patented design that dramatically reduces the time and effort required to assemble the range of ABSCO sheds

REDUCES FASTENERS BY 75%!
All ABSCO garden sheds, storage units and aviaries, unless otherwise stated, feature the revolutionary new SNAP-TITE assembly system, which permanently locks all perimeter channels to all roof and wall sheets without the need for tools and fasteners. Most other connection points have been fully pre-punched to maximise the ease of assembly.

ASSEMBLES UP TO 80% FASTER!
A separate, step by step assembly instruction booklet is supplied for each different size and model of product. Most components are marked with individual part numbers, which are also clearly identified throughout the three dimensional drawings displayed in the assembly instruction booklets.

ENGINEERED TO W41C!
(147km/hour winds)
Most ABSCO garden sheds are engineered to a wind rating of W41C, to withstand wind speeds of 147km per hour. Cyclone kits are also available to upgrade your ABSCO garden shed in cyclonic areas, to W50C, for wind speeds of up to 180km per hour.

REINFORCED HINGED DOORS
All ABSCO garden sheds and storage units are supplied with fully pre-punched diagonal door braces for added security, strength and rigidity.

WALL HEIGHTS
Unless specified, all ABSCO garden sheds, storage units and aviaries have a minimum wall height of 1785mm.

DOOR OPENINGS



- Single door models: 750mm
- Double Door models: 1510mm

AVAILABLE OPTIONAL SHED ACCESSORIES


- Skylight sheet. Size: 1546 x 375mm \$
- 5 Blade glass louvre window. Size: 570 x 700mm \$
- 4 Shelf unit galvanised. Size: 720 x 300 x 1370mm \$
- Sliding perspex window. Size: 700 x 200mm \$
- Set of 8 anchors \$
- W50 Cyclone kits up to 3m x 3m \$ and over 3m x 3m \$

ALL PRODUCTS ARE READY FOR DESPATCH FROM THE FACTORY WITHIN 48 HOURS

ABSCO Garden Sheds, Storage Units and Aviaries are supplied in kit form, machine packed into specially designed reinforced cartons. The number of cartons varies with shed sizes. (Garages, awnings and carports may take longer).




Save time by doing without the guesswork of measuring and drilling




STEP 1.

Join the sheets together at pre-punched locations to form roof and wall panels.
Tools required:
A screwdriver




STEP 2.

SNAP-TITE the perimeter channels to the panels.
Tools required: Nil




STEP 3.

Join the ridge beam, roof & wall panels together at pre-punched locations.
Tools required:
A screwdriver



STEP 4.

Anchor the shed to the concrete slab.
Tools required:
Power drill, masonry bit 10mm, drill bit 10mm, adjustable screwdriver.
(Anchor sets are not included with the shed and should be ordered separately).



Bluescope Steel Zinalume® or Colorbond® materials

ABSCO products are manufactured from Australian made Bluescope Steel materials, and are available in Zinalume®, and these Colorbond® colours, with white trim unless otherwise stated.



Colour codes when ordering

Zinalume® walls and roof are Zinalume®, Colorbond® walls and roof are Colorbond®
When ordering any shed add the following prefixes to the product code

ZA = Zinalume® SK = Sandbank PE = Pale Eucalypt
BR = Blue Ridge CC = Classic Cream PB = Paperbark
CN = Cottage Green WG = Woodland Grey

Colour Options	Zinalume® (ZA)	Pale Eucalypt (PE)	Cottage Green (CN)	Sandbank (SK)	Paperbark (PB)	Classic Cream (CC)	Blue Ridge (BR)	Woodland Grey (WG)
SHED TYPE								
Premier	✓	✓	✓		✓	✓		
Regent	✓	✓	✓	✓	✓	✓	✓	✓
Spacesaver	✓	✓	✓		✓	✓	✓	
Workshop	✓	✓				✓		
Utility	✓	✓	✓	✓	✓	✓		
Highlander	✓	✓				✓		✓
Pool Pump Cover	✓	✓				✓		
Aviary	✓	✓						
Ezslider	✓	✓				✓		

Colours shown have been reproduced as accurately as possible, however we recommend that you check chosen colours against an actual sample of the product available from your stockist.

Anchoring Kits for Garden Sheds

For permanent secure installation of your garden shed, it is necessary to use Concrete Anchor sets which are available from your ABSCO stockist sold in sets of 8 only - \$36



Anchor Quantities for all Garden Shed sizes shown

Shed Size	Anchors	Shed Size	Anchors
1.50m x 0.78m	8	3.00m x 2.25m	14
2.25m x 0.78m	8	3.00m x 3.00m	14
3.00m x 0.78m	8	3.00m x 3.70m	16
2.25m x 1.50m	12	4.50m x 2.25m	16
2.25m x 2.25m	12	4.50m x 3.00m	16
1.50m x 1.50m	12	6.00m x 3.00m	24
3.00m x 1.50m	12		

Premier Garden Shed KIT

Available in Pale Eucalypt, Cottage Green, Classic Cream, Paperbark, Bluescope Steel Colorbond® colours and Zinalume®


ABSCO Premier Garden Shed is designed for maximum strength and manufactured from low maintenance ribbed steel sheeting. Doors are hinged for added security. All come with gable roof and one or two door configurations. See model diagrams below.



Model: 3152G

\$

3.0m x 1.52m x 1.93m Premier Gable Roof Shed shown in Classic Cream










Model: 30232G

3.0m x 2.26m x 2m Premier Gable Roof Shed shown in Pale Eucalypt



Model: 15151G

1.52m x 1.52m x 1.93m Premier Gable Roof Shed shown in Pale Eucalypt



Ten Year Written Warranty
Applies to all products listed in this brochure

Regent Garden Shed KIT Available in Pale Eucalypt, Cottage Green, Classic Cream,

The Regent range of garden sheds is manufactured from low maintenance ribbed steel sheeting and is designed to add value to your home. The doors are in the gable end and the roof has a slight overhang to add to the overall appearance. Doors are hinged for added security and braced for strength and rigidity.



Model: 30222R - \$

3m x 2.18m x 2.06m Regent Shed with double doors shown in Classic Cream



Model: 15141R

\$

1.52m x 1.44m x 1.93m Regent Shed with single door shown in Sandbank

MODEL 15141R

Zincalume® \$
Colorbond® \$

MODEL 23141R

Zincalume® \$
Colorbond® \$

MODEL 23221R

Zincalume® \$
Colorbond® \$

MODEL 30142R

Zincalume® \$
Colorbond® \$

MODEL 30222R

Zincalume® \$
Colorbond® \$

Model: 30142R - \$

3m x 1.44m x 2.06m Regent Shed with double doors shown in Woodland Grey

NEW COLOUR
Woodland Grey



Model: 30292R

\$
3m x 2.92m x 2.06m
Regent Shed shown in
Blue Ridge



Model: 23141R

\$
2.26m x 1.44m x 2m
Regent Shed shown in
Classic Cream

MODEL 30292R

2.06m
2.92m 3m
1.8m

Zinalume® \$
Colorbond® \$

MODEL 30372R

2.06m
3.66m 3m
1.8m

Zinalume® \$
Colorbond® \$

Ten Year Written Warranty
Applies to all products listed in this brochure

Space Saver Storage Unit KIT

Available in Pale Eucalypt, Cottage Green, Classic Cream, Blue Ridge, Paperbark, Bluescope Steel Colorbond® colours and Zinalume®

The ultimate storage unit for those areas where space is limited. Fits under eaves and is large enough to store tools, sporting equipment etc. Ideal for storage in garages & carports in unit complexes.



Model: 30082S - \$

3.0m x 0.78m x 1.92m shown in Classic Cream

Model: 15081S

\$


1.52m x 0.78m x 1.92m shown in Paperbark



Model: 23081S

\$


2.26m x 0.78m x 1.92m shown in Cottage Green



Model: 30082S

\$

3.0m x 0.78m x 1.92m shown in Blue Ridge



MODEL 15081S

1.92m
0.78m 1.52m
1.8m

Zinalume® \$
Colorbond® \$

MODEL 15151S

2.06m
1.52m 1.52m
1.8m

Zinalume® \$
Colorbond® \$

MODEL 23081S

1.92m
0.78m 2.26m
1.8m

Zinalume® \$
Colorbond® \$

MODEL 23151S

2.06m
1.52m 2.26m
1.8m

Zinalume® \$
Colorbond® \$

MODEL 30082S

1.92m
0.78m 3m
1.8m

Zinalume® \$
Colorbond® \$

MODEL 30152S

2.06m
1.52m 3m
1.8m




Zinalume® \$
Colorbond® \$

Sliding double door version available in 3m - see back page

Workshop Shed KIT

Available in Pale Eucalypt, Classic Cream, Bluescope Steel Colorbond® colours and Zinalume®

ABSCO Workshop Shed is the ultimate garden shed - suitable as a workshop for the hobbyist or a large storage area for the serious gardener or home handyman.





Model: 60303W

\$
6m x 3m x 2.06m Workshop Shed, double and single doors shown in Zinalume®

Economy Shed KIT

Available in Zinalume® only

The Economy Garden Shed is designed for maximum strength and manufactured from low maintenance ribbed steel sheeting. Door is hinged for added security. Available in flat roof as shown.





Utility Shed KIT

Available in Pale Eucalypt, Cottage Green, Classic Cream, Sandbank, Paperbark Bluescope Steel Colorbond® colours and Zinalume®

The Utility Shed is what you need for your trailer, boat, car or anything you can think of.

Featuring extra large door opening in gable end, personal access side door with doors braced for strength and security, heavy duty reinforced central and front internal frames



Aviaries Available in Zinalume® and Pale Eucalypt Bluescope Steel Colorbond®

Features:

- All steel construction facilitates cleaning and is more hygienic.
- Wider mesh panels for better viewing
- Square & rectangular Aviaries available in Zinalume® & Pale Eucalypt, Colorbond®
- Standard mesh is 12.5mm sq x 1.2mm thick
- Can be used as dog kennels, catteries, hen houses or animal shelters




Model: A1530IF Aviary - \$
1.51m x 3m x 1.8m shown in Zinalume®



Model: A2323IG Aviary - \$
2.26m x 2.26m x 2m shown in Pale Eucalypt

<p>MODEL A1515IF</p> <p>1.8m 1.52m x 1.52m Zinalume® \$ Pale Eucalypt \$</p>	<p>MODEL A1523IF</p> <p>1.8m 2.26m x 1.52m Zinalume® \$ Pale Eucalypt \$</p>	<p>MODEL A1530IF</p> <p>1.8m 3m x 1.52m Zinalume® \$ Pale Eucalypt \$</p>	<p>MODEL A2315IG</p> <p>1.8m 1.52m x 2.26m Zinalume® \$ Pale Eucalypt \$</p>
<p>MODEL A2323IG</p> <p>2.0m 2.26m x 2.26m Zinalume® \$ Pale Eucalypt \$</p>	<p>MODEL A3015IG</p> <p>1.8m 1.52m x 3m Zinalume® \$ Pale Eucalypt \$</p>	<p>MODEL A3023IG</p> <p>2.0m 2.26m x 3m Zinalume® \$ Pale Eucalypt \$</p>	<p>MODEL A1613HEX</p> <p>1.8m KIT FORM ONLY Width 1.56m Depth 1.32m Zinalume® \$ Pale Eucalypt \$</p>




Model: A1613HEX - \$
1.56m x 1.32m x 2.18m Hexagonal Aviary shown in Pale Eucalypt

Pool Pump Cover KIT

With hinged roof and hinged front access door, ABSCO Pool Pump Cover is designed to cover most domestic pool pump and filter systems. Available in BlueScope Steel Zinalume® and Colorbond® Classic Cream and Pale Eucalypt. SNAPTITE® assembly system.

Model: PPCK - \$
shown in Zinalume®



Patio Cover Complete with steel roofing & trim

Available in Pale Eucalypt, Cottage Green, Classic Cream, Paperbark, Sandbank, Blue Ridge, Surfemist (White), Bluescope Steel Colorbond®



Model: AWN63 - \$
6mL x 3mW x 3mH Colorbond® Awning

This easy to assemble kit form Patio Cover can be easily attached to any wall of your house and is wide enough to double as a carport.

Featuring easy to follow, step by step assembly instructions. Modules of 3m allow for any length. Council plans provided which include guidelines on how to attach to timber/ metal fascia & brick work (basic model rated W50 cyclonic).

• Optional skylight panel (replaces one roof sheet, size: 2930 x 750) available at extra cost

<p>Model: AWN33</p> <p>3mL x 3mW x 3mH Zinalume® \$ Colorbond® \$</p> <p>Classic Cream Colorbond® Framing/posts supplied with Colorbond® models</p>
--

<p>Model: AWN63</p> <p>6mL x 3mW x 3mH Zinalume® \$ Colorbond® \$</p> <p>Classic Cream Colorbond® Framing/posts supplied with Colorbond® models</p>
--

Carports - Skillion Roof

Available in Pale Eucalypt, Cottage Green, Classic Cream, Paperbark, Blue Ridge, Bluescope Steel Colorbond® colours and Zinalume®

Skillion Roof carports are constructed of heavy duty galvanised steel framing with solid RHS steel posts.

All carports have the following features:
The majority of components are pre-punched. All fixings, including the concrete slab attachments are standard. Engineers plans for submission to local authority, check on their requirements before ordering. Easy to follow assembly instructions. Gutters form part of the roof frame and separate downpipes are included. Maintenance free all steel construction.

Options available:

Standard clearance is 2.06m. Height extensions of 300mm and 600mm are available and must be included at time of ordering.

- 300mm height extension \$
- 600mm height extension \$



Model: CPSW33 - \$
3.00m x 5.50m x 2.25m Single Carport shown in Zinalume®



Model: CPDW33 - \$
5.50m x 5.50m x 2.25m Double Carport shown in Zinalume®

MODEL CPSW33	MODEL CPSW41	MODEL CPSW50	MODEL CPDW33	MODEL CPDW41	MODEL CPDW50
Zinalume® \$	Zinalume® \$	Zinalume® \$	Zinalume® \$	Zinalume® \$	Zinalume® \$
Colorbond® Gable/Trim	Colorbond® Gable/Trim	Colorbond® Gable/Trim	Colorbond® Gable/Trim	Colorbond® Gable/Trim	Colorbond® Gable/Trim
Colorbond® \$	Colorbond® \$	Colorbond® \$	Colorbond® \$	Colorbond® \$	Colorbond® \$
Roof/Gable/Trim \$	Roof/Gable/Trim \$	Roof/Gable/Trim \$	Roof/Gable/Trim \$	Roof/Gable/Trim \$	Roof/Gable/Trim \$

Carports - Gable Roof

Available in Pale Eucalypt, Cottage Green, Classic Cream, Paperbark, Blue Ridge, Surfmist (White) Bluescope Steel Colorbond® colours and Zinalume®

Gable Roof carports incorporate triple web trusses for maximum strength and stability, with solid steel construction.

Options available:

Standard clearance is 2.25m. Height extensions of 300mm and 600mm are available and must be included at time of ordering.

- 300mm height extension \$
- 600mm height extension \$



Model: GCPSW37 - \$ 3.00m x 6.00m x 2.25m Single Gable Roof Carport shown in Classic Cream with Zinalume® roof



Model: GCPDW37 - \$
6.00m x 6.00m x 2.25m Double Gable Roof Carport shown in Zinalume®

MODEL GCPSW37	MODEL GCPSW41	MODEL GCPSW50	MODEL GCPDW37	MODEL GCPDW41	MODEL GCPDW50
Zinalume® \$	Zinalume® \$	Zinalume® \$	Zinalume® \$	Zinalume® \$	Zinalume® \$
Colorbond® Gable/Trim	Colorbond® Gable/Trim	Colorbond® Gable/Trim	Colorbond® Gable/Trim	Colorbond® Gable/Trim	Colorbond® Gable/Trim
Colorbond® \$	Colorbond® \$	Colorbond® \$	Colorbond® \$	Colorbond® \$	Colorbond® \$
Roof/Gable/Trim \$	Roof/Gable/Trim \$	Roof/Gable/Trim \$	Roof/Gable/Trim \$	Roof/Gable/Trim \$	Roof/Gable/Trim \$

Garages - Single


Available in the following Bluescope Steel Colorbond® colours: Pale Eucalypt, Cottage Green, Classic Cream, Paperbark, Blue Ridge, Surfmist (White), and Zinalume®

Single Garages are so versatile! Use as a workshop, wet weather drying area or entertainment area. The Single Garage is large enough for the largest family vehicle and yet small enough to fit in most suburban yards.

All have the following features:

- Personal access door
- Engineers plans for submission to local authority, check with their requirements before ordering
- Easy to follow assembly instructions
- Downpipes and gutters
- Maintenance free - all steel construction

Options available: Skylight sheet, Louvre window




SINGLE TILT DOOR

MODEL G643324

(W33-N2)
Zinalume® \$
Colorbond®/Zinalume®roof \$
Colorbond® \$

MODEL G644124

(W41 N3-C1)
Zinalume® \$
Colorbond®/Zinalume®roof \$
All Colorbond® \$



SINGLE ROLLER DOOR

MODEL G643327

(W33-N2)
Zinalume® \$
Colorbond®/Zinalume®roof \$
Colorbond® \$

MODEL G644127

(W41 N3-C1)
Zinalume® \$
Colorbond®/Zinalume®roof \$
All Colorbond® \$

Compact Garages - Single & Double

Available in Pale Eucalypt, Cottage Green, Classic Cream, Paperbark, Blue Ridge, Surfmist (White), Bluescope Steel Colorbond® colours and Zinalume®

Compact Garages are so versatile! Use as a workshop, wet weather drying area or entertainment area. Compact Garages are large enough for the largest family vehicle and yet small enough to fit in most suburban yards.

All have the following features:

- Engineers plans for submission to local authority, check on their requirements before ordering
- Easy to follow assembly instructions.
- Downpipes and gutters.
- Maintenance free all steel construction.
- A substantial number of pre-punched components.

Options available:


Personal access door in Zinalume® \$

Personal access door in Colorbond®



Model: COM5541TN - \$

5.5m x 5.6m x 2.15m (Wall) Double Compact garage with Tilt door shown in Pale Eucalypt



MODEL COM3541BN


Single with Double hinged doors
BN - Barn Door Non Cyclonic

Zinalume® W41 \$
W41 \$

MODEL COM3541BC

Single with Double hinged doors
BC - Barn Door Cyclonic

Zinalume® W41 \$2,195
Colorbond® W41 \$2,595



MODEL COM3541TN


Single with Single Tilt door
TN - Tilt door Non Cyclonic

Zinalume® W41 \$
Colorbond® W41 \$

MODEL COM3541TC

Single with Single Tilt door
TC - Tilt door Cyclonic

Zinalume® W41 \$
Colorbond® W41 \$



MODEL COM5541BN


Double with Double hinged doors
BN - Barn Door Non Cyclonic

Zinalume® W41 \$
Colorbond® W41 \$

MODEL COM5541BC

Double with Double hinged doors
BC - Barn Door Cyclonic

Zinalume® W41 \$
Colorbond® W41 \$



MODEL COM5541TN

Double with Single Tilt door
TN - Tilt door Non Cyclonic

Zinalume® W41 \$
Colorbond® W41 \$

MODEL COM5541TC

Double with Single Tilt door
TC - Tilt door Cyclonic

Zinalume® W41 \$
Colorbond® W41 \$

Garages - Double Tilt Door Models

Available in the following Bluescope Steel Colorbond® colours: Pale Eucalypt, Cottage Green, Classic Cream, Paperbark, Blue Ridge, Surfmist (White), and Zinalume®


All Double Garage Single Tilt Door models include a personal access door (valued at \$)

Model: G663324TI (W33-N2)

\$

6.0m x 6.0m x 2.40m

Double garage with single tilt door W33 Zinalume®



MODEL G663324TI
(W33-N2)
All Zinalume® \$
Colorbond® with Zinalume® roof \$4,179
All Colorbond® \$

MODEL G664124TI
(W41 N3-C1)
All Zinalume® \$
Colorbond® with Zinalume® roof \$4,495
All Colorbond® \$

Double Garages - Roller Door models

Available in Pale Eucalypt, Cottage Green, Classic Cream, Paperbark, Sandbank, Blue Ridge, Surfmist (White), Bluescope Steel Colorbond® colours and Zinalume®

All have the following features:

- Personal access door
- Engineers plans for submission to local authority, check on their requirements before ordering
- Separate & easy to follow assembly instruction booklets are supplied for each individual model & size garage
- All components cut to exact size, including front & rear wall angle sheets. All galvanised framing sections marked with part numbers for easy identification
- Downpipes and gutters
- Maintenance free all steel construction
- A substantial number of pre-punched components

Options available: Skylight sheet, size: 1900 x 750 • Louvre window size: 570W x 700H

TWIN ROLLER DOOR
Each door clearance 2100mmH 2400mmW

MODEL G663325R2 (W33-N2)
All Zinalume® \$
Colorbond® with Zinalume® roof \$
All Colorbond® \$

MODEL G664125R2 (W41 N3-C1)
All Zinalume® \$
Colorbond® with Zinalume® roof \$
All Colorbond® \$



Model: G663325R2 (W33-N2)

\$

6m x 6m x 2.5m Double Garage with twin roller doors shown in Pale Eucalypt with Zinalume® roof

Highlander Shed KIT

Available in Pale Eucalypt, Classic Cream, Woodlan Grey Blue Scope Steel Colorbond® and Zinalume®

Extra high garden shed, 2.035 high walls, 2300 high at the gable. Ideal for the taller guy and the serious handyman.



Model: 3060H - \$

3mW x 6mL x 2.3mH
Shown in Pale Eucalypt



Model: 30292H - \$

3.00m x 2.92m x 2.3m for non cyclonic areas. Not available in cyclonic. Shown in Pale Eucalypt

MODEL 3045H

Zinalume® \$
Colorbond® \$

MODEL 3060H

Zinalume® \$
Colorbond® \$

MODEL 6030H

Zinalume® \$
Colorbond® \$

MODEL 30292H

Zinalume® \$
Colorbond® \$

ONLY AVAILABLE IN WIND RATING W33 NON CYCLONIC - CHECK WITH YOUR LOCAL COUNCIL BEFORE PURCHASE

Ezislider Storage Unit KIT

Available in Pale Eucalypt, Classic, Cream, Bluescope Steel Colorbond® colours and Zinalume®

New to our range of Storage Units the Ezislider fits under eaves and is large enough to store tools, gardening equipment etc. Ideal for use in carports and garages in unit complexes. The double sliding doors allow easy access for storing the lawn mower etc. W50 cyclone kit not available in this model.

MODEL 30082E

Zinalume® \$
Colorbond® \$



Model: 30082E - \$

3.0m x 0.78m x 1.92m Ezislider Storage Unit with double sliding doors shown in Pale Eucalypt

All sizes quoted in this catalogue are nominal. For accurate measurements required for the construction and laying of concrete foundations, refer to the Assembly Instructions which are provided with each product. Colours shown have been reproduced as accurately as possible, however we recommend that you check chosen colours against an actual sample of the product available from your stockist. Accessories shown in pictures are not included.

Your local distributor:



ABSCO INDUSTRIES

ABN 84 009 792 670

PO Box 6305 Acacia Ridge Qld 4110

Ph: (07) 3345 8100 Fax: (07) 3344 1191

Zinalume® and Colorbond® are registered trade names of Bluescope Steel. Prices and specifications in this brochure may be subject to change. Freight / delivery charges may apply in some areas. Prices include GST. We reserve the right to correct printing errors. Copyright© March 2008.